

O-Ring Standard Comparison Chart

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
2-001	0.029	0.040	0.74	1.02	X			X		
2-002	0.042	0.050	1.07	1.27	X			X		
M115-100	0.045	0.039	1.15	1.00					X	
2-102	0.049	0.103	1.24	2.62	X			X		
2-003	0.056	0.060	1.42	1.52	X			X		
M178-102	0.070	0.040	1.78	1.02				X		
2-004	0.070	0.070	1.78	1.78	X			X		
M180-180	0.071	0.071	1.80	1.80	X					
M200-180	0.079	0.071	2.00	1.80	X					
2-103	0.081	0.103	2.06	2.62	X			X		
M220-160	0.087	0.063	2.20	1.60					X	
M224-180	0.088	0.071	2.24	1.80	X					
M240-190	0.094	0.075	2.40	1.90					X	
M250-180	0.098	0.071	2.50	1.80	X					
M254-102	0.100	0.040	2.54	1.02				X		
2-005	0.101	0.070	2.57	1.78	X			X		
M260-190	0.102	0.075	2.60	1.90					X	
M280-180	0.110	0.071	2.80	1.80	X					
M280-190	0.110	0.075	2.80	1.90					X	
2-104	0.112	0.103	2.84	2.62	X			X		
2-006	0.114	0.070	2.90	1.78	X			X		
M300-150	0.118	0.059	3.00	1.50			X			
M300-200	0.118	0.079	3.00	2.00			X			
M300-300	0.118	0.118	3.00	3.00			X			
M310-160	0.122	0.063	3.10	1.60		X	X			
M315-180	0.124	0.071	3.15	1.80	X					
M317-178	0.125	0.070	3.17	1.78				X		
M330-240	0.130	0.094	3.30	2.40		X				
M340-190	0.134	0.075	3.40	1.90					X	
M355-180	0.140	0.071	3.55	1.80	X					
M360-240	0.141	0.094	3.60	2.40			X			
2-105	0.143	0.103	3.63	2.62	X			X		
2-007	0.145	0.070	3.68	1.78	X			X		
M375-180	0.148	0.071	3.75	1.80	X					
M380-190	0.150	0.075	3.80	1.90					X	
M400-150	0.157	0.059	4.00	1.50			X			
M400-180	0.157	0.071	4.00	1.80	X					
M400-200	0.157	0.079	4.00	2.00			X			
M400-250	0.157	0.098	4.00	2.50			X			
M400-300	0.157	0.118	4.00	3.00			X			
M400-400	0.157	0.157	4.00	4.00			X			
M400-500	0.157	0.197	4.00	5.00			X			
M410-160	0.161	0.063	4.10	1.60		X	X			
M420-190	0.165	0.075	4.20	1.90					X	
M430-240	0.169	0.094	4.30	2.40		X				
2-201	0.171	0.139	4.34	3.53	X			X		
2-106	0.174	0.103	4.42	2.62	X			X		
2-008	0.176	0.070	4.47	1.78	X			X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M500-500	0.197	0.197	5.00	5.00				X		
M510-160	0.201	0.063	5.10	1.60		X		X		
M515-180	0.203	0.071	5.15	1.80		X				
2-107	0.206	0.103	5.23	2.62	X			X		
2-009	0.208	0.070	5.28	1.78	X			X		
M530-180	0.209	0.071	5.30	1.80		X				
M530-240	0.209	0.094	5.30	2.40			X			
M530-265	0.209	0.104	5.30	2.65		X				
M560-180	0.220	0.071	5.60	1.80		X				
M560-240	0.220	0.094	5.60	2.40				X		
M570-190	0.224	0.075	5.70	1.90					X	
M576-240	0.226	0.094	5.76	2.40				X		
M580-190	0.228	0.075	5.80	1.90					X	
2-202	0.234	0.139	5.94	3.53	X			X		
M596-240	0.235	0.094	5.96	2.40					X	
M600-150	0.236	0.059	6.00	1.50			X			
M600-180	0.236	0.071	6.00	1.80		X				
M600-200	0.236	0.079	6.00	2.00			X			
M600-220	0.236	0.087	6.00	2.20					X	
M600-250	0.236	0.098	6.00	2.50			X			
M600-265	0.236	0.104	6.00	2.65		X				
M600-300	0.236	0.118	6.00	3.00			X			
M600-400	0.236	0.157	6.00	4.00			X			
M600-500	0.236	0.197	6.00	5.00			X			
2-108	0.237	0.103	6.02	2.62	X			X		
3-902	0.239	0.064	6.07	1.63	X			X		
2-010	0.239	0.070	6.07	1.78	X			X		
M610-160	0.240	0.063	6.10	1.60		X	X			
M630-180	0.248	0.071	6.30	1.80		X				
M630-240	0.248	0.094	6.30	2.40			X			
M635-178	0.250	0.070	6.35	1.78					X	
M640-190	0.252	0.075	6.40	1.90					X	
M660-240	0.260	0.094	6.60	2.40					X	
M670-180	0.264	0.071	6.70	1.80		X				
M675-178	0.266	0.070	6.75	1.78					X	
M680-190	0.268	0.075	6.80	1.90						X
M690-180	0.272	0.071	6.90	1.80		X				
M690-265	0.272	0.104	6.90	2.65		X				
M700-150	0.276	0.059	7.00	1.50			X			
M700-200	0.276	0.079	7.00	2.00			X			
M700-250	0.276	0.098	7.00	2.50			X			
M700-300	0.276	0.118	7.00	3.00			X			
M700-400	0.276	0.157	7.00	4.00			X			
M700-500	0.276	0.197	7.00	5.00			X			
M710-160	0.280	0.063	7.10	1.60		X	X			
M710-180	0.280	0.071	7.10	1.80		X				
M720-190	0.283	0.075	7.20	1.90					X	
M730-240	0.287	0.094	7.30	2.40			X			

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWE	ORBITAL	FRANCE	JAPAN
M800-300	0.315	0.118	8.00	3.00			X			
M800-350	0.315	0.138	8.00	3.50			X			
M800-400	0.315	0.157	8.00	4.00			X			
M800-500	0.315	0.197	8.00	5.00			X			
M806-178	0.317	0.070	8.06	1.78				X		
M810-160	0.319	0.063	8.10	1.60		X		X		
M830-240	0.327	0.094	8.30	2.40		X				
M850-180	0.335	0.071	8.50	1.80	X					
M860-240	0.339	0.094	8.60	2.40				X		
M873-178	0.344	0.070	8.73	1.78				X		
M875-180	0.344	0.071	8.75	1.80	X					
M880-190	0.346	0.075	8.80	1.90						X
M890-190	0.350	0.075	8.90	1.90					X	
M890-270	0.350	0.106	8.90	2.70						X
3-904	0.351	0.072	8.92	1.83	X			X		
M900-150	0.354	0.059	9.00	1.50			X			
M900-180	0.354	0.071	9.00	1.80	X					
M900-200	0.354	0.079	9.00	2.00			X			
M900-220	0.354	0.087	9.00	2.20						X
M900-250	0.354	0.098	9.00	2.50			X			
M900-265	0.354	0.104	9.00	2.65	X					
M900-300	0.354	0.118	9.00	3.00			X			
M900-350	0.354	0.138	9.00	3.50			X			
M900-400	0.354	0.157	9.00	4.00			X			
M900-500	0.354	0.197	9.00	5.00			X			
M910-160	0.358	0.063	9.10	1.60		X		X		
2-204	0.359	0.139	9.12	3.53	X			X		
2-110	0.362	0.103	9.19	2.62	X			X		
2-012	0.364	0.070	9.25	1.78	X			X		
M930-240	0.366	0.094	9.30	2.40			X			
M950-180	0.374	0.071	9.50	1.80	X					
M950-265	0.374	0.104	9.50	2.65	X					
M952-178	0.375	0.070	9.52	1.78					X	
M960-240	0.378	0.094	9.60	2.40				X		
M980-190	0.386	0.075	9.80	1.90						X
M980-240	0.386	0.094	9.80	2.40						X
M992-262	0.391	0.103	9.92	2.62				X		
M1000-150	0.394	0.059	10.00	1.50			X			
M1000-180	0.394	0.071	10.00	1.80	X					
M1000-200	0.394	0.079	10.00	2.00			X			
M1000-250	0.394	0.098	10.00	2.50			X			
M1000-265	0.394	0.104	10.00	2.65	X					
M1000-300	0.394	0.118	10.00	3.00			X			
M1000-350	0.394	0.138	10.00	3.50			X			
M1000-400	0.394	0.157	10.00	4.00			X			
M1000-500	0.394	0.197	10.00	5.00			X			
M1010-160	0.398	0.063	10.10	1.60		X		X		
M1030-240	0.406	0.094	10.30	2.40		X				

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWE	ORBITAL	FRANCE	JAPAN
M1100-350	0.433	0.138	11.00	3.50				X		
M1100-400	0.433	0.157	11.00	4.00			X			
M1100-500	0.433	0.197	11.00	5.00			X			
M1110-160	0.437	0.063	11.10	1.60		X		X		
M1111-178	0.437	0.070	11.11	1.78				X		
M1120-180	0.441	0.071	11.20	1.80	X					
M1120-265	0.441	0.104	11.20	2.65	X					
M1130-240	0.445	0.094	11.30	2.40		X				
M1160-240	0.457	0.094	11.60	2.40				X		
M1180-180	0.465	0.071	11.80	1.80	X					
M1180-240	0.465	0.094	11.80	2.40						X
M1180-265	0.465	0.104	11.80	2.65	X					
3-906	0.468	0.078	11.89	1.98	X			X		
M1191-262	0.469	0.103	11.91	2.62				X		
M1200-150	0.472	0.059	12.00	1.50			X			
M1200-200	0.472	0.079	12.00	2.00			X			
M1200-250	0.472	0.098	12.00	2.50			X			
M1200-300	0.472	0.118	12.00	3.00			X			
M1200-350	0.472	0.138	12.00	3.50			X			
M1200-400	0.472	0.157	12.00	4.00			X			
M1200-500	0.472	0.197	12.00	5.00			X			
2-310	0.475	0.210	12.07	5.33	X			X		
M1210-160	0.476	0.063	12.10	1.60		X		X		
M1210-270	0.476	0.106	12.10	2.70						X
M1230-240	0.484	0.094	12.30	2.40			X			
2-206	0.484	0.139	12.29	3.53	X			X		
2-112	0.487	0.103	12.37	2.62	X			X		
2-014	0.489	0.070	12.42	1.78	X			X		
M1250-180	0.492	0.071	12.50	1.80	X					
M1250-265	0.492	0.104	12.50	2.65	X					
M1260-240	0.496	0.094	12.60	2.40				X		
M1270-262	0.500	0.103	12.70	2.62				X		
M1300-150	0.512	0.059	13.00	1.50			X			
M1300-200	0.512	0.079	13.00	2.00			X			
M1300-250	0.512	0.098	13.00	2.50			X			
M1300-300	0.512	0.118	13.00	3.00			X			
M1300-350	0.512	0.138	13.00	3.50			X			
M1300-400	0.512	0.157	13.00	4.00			X			
M1300-500	0.512	0.197	13.00	5.00			X			
M1310-160	0.516	0.063	13.10	1.60		X		X		
M1310-262	0.516	0.103	13.10	2.62				X		
M1320-180	0.520	0.071	13.20	1.80	X					
M1320-265	0.520	0.104	13.20	2.65	X					
M1330-240	0.524	0.094	13.30	2.40		X				
3-907	0.530	0.082	13.46	2.08	X			X		
M1360-240	0.535	0.094	13.60	2.40				X		
M1360-270	0.535	0.106	13.60	2.70						X
2-311	0.537	0.210	13.64	5.33	X			X		

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWB	GERN	METRY	FRANCE	JAPAN
M1410-160	0.555	0.063	14.10	1.60		X			X		
M1430-240	0.563	0.094	14.30	2.40			X				
M1460-240	0.575	0.094	14.60	2.40					X		
M1480-240	0.583	0.094	14.80	2.40							X
M1500-150	0.591	0.059	15.00	1.50			X				
M1500-180	0.591	0.071	15.00	1.80	X						
M1500-200	0.591	0.079	15.00	2.00				X			
M1500-250	0.591	0.098	15.00	2.50				X			
M1500-265	0.591	0.104	15.00	2.65	X						
M1500-300	0.591	0.118	15.00	3.00				X			
M1500-350	0.591	0.138	15.00	3.50				X			
M1500-355	0.591	0.140	15.00	3.55	X						
M1500-400	0.591	0.157	15.00	4.00				X			
M1500-500	0.591	0.197	15.00	5.00				X			
M1510-160	0.594	0.063	15.10	1.60		X			X		
M1508-262	0.594	0.103	15.08	2.62					X		
M1510-270	0.594	0.106	15.10	2.70						X	
2-312	0.600	0.210	15.24	5.33	X				X		
M1530-240	0.602	0.094	15.30	2.40			X				
2-208	0.609	0.139	15.47	3.53	X				X		
2-114	0.612	0.103	15.54	2.62	X				X		
2-016	0.614	0.070	15.60	1.78	X				X		
M1560-240	0.614	0.094	15.60	2.40					X		
M1580-240	0.622	0.094	15.80	2.40							X
M1588-262	0.625	0.103	15.88	2.62					X		
M1600-150	0.630	0.059	16.00	1.50				X			
M1600-180	0.630	0.071	16.00	1.80	X						
M1600-190	0.630	0.075	16.00	1.90							X
M1600-200	0.630	0.079	16.00	2.00					X		
M1600-250	0.630	0.098	16.00	2.50					X		
M1600-265	0.630	0.104	16.00	2.65	X						
M1600-300	0.630	0.118	16.00	3.00					X		
M1600-350	0.630	0.138	16.00	3.50					X		
M1600-355	0.630	0.140	16.00	3.55	X						
M1600-400	0.630	0.157	16.00	4.00					X		
M1600-500	0.630	0.197	16.00	5.00					X		
M1610-160	0.634	0.063	16.10	1.60		X			X		
M1630-240	0.642	0.094	16.30	2.40				X			
3-908	0.644	0.087	16.36	2.21	X					X	
M1660-240	0.654	0.094	16.60	2.40					X		
2-313	0.662	0.210	16.81	5.33	X				X		
M1690-270	0.665	0.106	16.90	2.70						X	
M1700-150	0.669	0.059	17.00	1.50					X		
M1700-180	0.669	0.071	17.00	1.80	X						
M1700-200	0.669	0.079	17.00	2.00					X		
M1700-250	0.669	0.098	17.00	2.50					X		
M1700-265	0.669	0.104	17.00	2.65	X						
M1700-300	0.669	0.118	17.00	3.00					X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWB	GERN	METRY	FRANCE	JAPAN
3-909	0.706	0.097	17.93	2.46	X					X	
M1800-150	0.709	0.059	18.00	1.50					X		
M1800-180	0.709	0.071	18.00	1.80					X		
M1800-200	0.709	0.079	18.00	2.00					X		
M1800-250	0.709	0.098	18.00	2.50					X		
M1800-265	0.709	0.104	18.00	2.65	X						
M1800-300	0.709	0.118	18.00	3.00					X		
M1800-350	0.709	0.138	18.00	3.50					X		
M1800-355	0.709	0.140	18.00	3.55	X						
M1800-400	0.709	0.157	18.00	4.00					X		
M1800-500	0.709	0.197	18.00	5.00					X		
M1810-160	0.713	0.063	18.10	1.60			X		X		
M1820-300	0.717	0.118	18.20	3.00					X		
M1830-240	0.720	0.094	18.30	2.40				X			
M1830-360	0.720	0.142	18.30	3.60							X
M1840-270	0.724	0.106	18.40	2.70							X
2-314	0.725	0.210	18.42	5.33	X					X	
M1860-240	0.732	0.094	18.60	2.40						X	
2-210	0.734	0.139	18.64	3.53	X					X	
2-116	0.737	0.103	18.72	2.62	X					X	
2-018	0.739	0.070	18.77	1.78	X					X	
M1900-150	0.748	0.059	19.00	1.50					X		
M1900-180	0.748	0.071	19.00	1.80					X		
M1900-200	0.748	0.079	19.00	2.00					X		
M1900-250	0.748	0.098	19.00	2.50					X		
M1900-265	0.748	0.104	19.00	2.65	X						
M1900-300	0.748	0.118	19.00	3.00					X		
M1900-350	0.748	0.138	19.00	3.50					X		
M1900-355	0.748	0.140	19.00	3.55	X						
M1900-400	0.748	0.157	19.00	4.00					X		
M1900-500	0.748	0.197	19.00	5.00					X		
M1910-160	0.752	0.063	19.10	1.60			X		X		
3-910	0.755	0.097	19.77	2.46	X					X	
M1920-300	0.756	0.118	19.20	3.00					X		
M1930-240	0.760	0.094	19.30	2.40					X		
M1960-240	0.772	0.094	19.60	2.40						X	
M1980-240	0.780	0.094	19.80	2.40							X
M1980-360	0.780	0.142	19.80	3.60							X
M2000-150	0.787	0.059	20.00	1.50					X		
M2000-180	0.787	0.071	20.00	1.80	X						
M2000-200	0.787	0.079	20.00	2.00					X		
M2000-250	0.787	0.098	20.00	2.50					X		
M2000-265	0.787	0.104	20.00	2.65	X						
M2000-300	0.787	0.118	20.00	3.00					X		
M2000-350	0.787	0.138	20.00	3.50					X		
M2000-355	0.787	0.140	20.00	3.55	X						
M2000-400	0.787	0.157	20.00	4.00					X		
M2000-500	0.787	0.197	20.00	5.00					X		

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

O-Ring Comparison Chart

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWE	FRANCE	JAPAN
M2100-400	0.827	0.157	21.00	4.00			X		
M2100-500	0.827	0.197	21.00	5.00			X		
M2110-160	0.831	0.063	21.10	1.60		X	X		
M2120-180	0.835	0.071	21.20	1.80	X				
M2120-265	0.835	0.104	21.20	2.65	X				
M2120-300	0.835	0.118	21.20	3.00		X			
M2120-355	0.835	0.140	21.20	3.55	X				
M2130-240	0.839	0.094	21.30	2.40		X			
M2130-360	0.839	0.142	21.30	3.60				X	
M2160-240	0.850	0.094	21.60	2.40				X	
2-316	0.850	0.210	21.59	5.33	X		X		
M2170-350	0.854	0.138	21.70	3.50					X
M2180-240	0.858	0.094	21.80	2.40					X
2-212	0.859	0.139	21.82	3.53	X			X	
2-118	0.862	0.103	21.89	2.62	X			X	
3-911	0.863	0.116	21.92	2.95	X			X	
2-020	0.864	0.070	21.95	1.78	X			X	
M2200-150	0.866	0.059	22.00	1.50			X		
M2200-200	0.866	0.079	22.00	2.00			X		
M2200-250	0.866	0.098	22.00	2.50			X		
M2200-300	0.866	0.118	22.00	3.00			X		
M2200-350	0.866	0.138	22.00	3.50			X		
M2200-400	0.866	0.157	22.00	4.00			X		
M2200-500	0.866	0.197	22.00	5.00			X		
M2210-160	0.870	0.063	22.10	1.60		X	X		
M2220-300	0.874	0.118	22.20	3.00		X			
M2222-262	0.875	0.103	22.22	2.62				X	
M2230-240	0.878	0.094	22.30	2.40		X			
M2240-180	0.882	0.071	22.40	1.80		X			
M2240-265	0.882	0.104	22.40	2.65		X			
M2240-355	0.882	0.140	22.40	3.55		X			
M2300-150	0.906	0.059	23.00	1.50			X		
M2300-200	0.906	0.079	23.00	2.00			X		
M2300-250	0.906	0.098	23.00	2.50			X		
M2300-300	0.906	0.118	23.00	3.00			X		
M2300-350	0.906	0.138	23.00	3.50			X		
M2300-360	0.906	0.142	23.00	3.60				X	
M2300-400	0.906	0.157	23.00	4.00			X		
M2300-500	0.906	0.197	23.00	5.00			X		
2-317	0.912	0.210	23.16	5.33	X			X	
M2330-240	0.917	0.094	23.30	2.40		X			
2-213	0.921	0.139	23.39	3.53	X			X	
2-119	0.924	0.103	23.47	2.62	X			X	
3-912	0.924	0.116	23.47	2.95	X			X	
2-021	0.926	0.070	23.52	1.78	X			X	
M2360-180	0.929	0.071	23.60	1.80		X			
M2360-265	0.929	0.104	23.60	2.65		X			
M2360-355	0.929	0.140	23.60	3.55		X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWE	FRANCE	JAPAN
2-318	0.975	0.210	24.77	5.33	X			X	
M2500-150	0.984	0.059	25.00	1.50			X		
M2500-180	0.984	0.071	25.00	1.80		X			
M2500-200	0.984	0.079	25.00	2.00			X		
M2500-240	0.984	0.094	25.00	2.40				X	
M2500-250	0.984	0.098	25.00	2.50			X		
M2500-265	0.984	0.104	25.00	2.65		X			
M2500-300	0.984	0.118	25.00	3.00			X		
M2500-350	0.984	0.138	25.00	3.50			X		
2-214	0.984	0.139	24.99	3.53	X			X	
M2500-355	0.984	0.140	25.00	3.55		X			
M2500-400	0.984	0.157	25.00	4.00			X		
M2500-500	0.984	0.197	25.00	5.00			X		
3-913	0.986	0.116	25.04	2.95	X			X	
2-120	0.987	0.103	25.07	2.62	X			X	
M2510-160	0.988	0.063	25.10	1.60			X	X	
2-022	0.989	0.070	25.12	1.78	X			X	
M2520-300	0.992	0.118	25.20	3.00			X		
M2530-240	0.996	0.094	25.30	2.40			X		
M2570-350	1.012	0.138	25.70	3.50					X
M2580-180	1.016	0.071	25.80	1.80		X			
M2580-265	1.016	0.104	25.80	2.65		X			
M2580-353	1.016	0.139	25.80	3.53				X	
M2580-355	1.016	0.140	25.80	3.55		X			
M2600-150	1.024	0.059	26.00	1.50			X		
M2600-200	1.024	0.079	26.00	2.00			X		
M2600-250	1.024	0.098	26.00	2.50			X		
M2600-300	1.024	0.118	26.00	3.00			X		
M2600-350	1.024	0.138	26.00	3.50			X		
M2600-400	1.024	0.157	26.00	4.00			X		
M2600-500	1.024	0.197	26.00	5.00			X		
M2620-300	1.031	0.118	26.20	3.00			X		
M2620-360	1.031	0.142	26.20	3.60				X	
2-319	1.037	0.210	26.34	5.33	X			X	
M2650-180	1.043	0.071	26.50	1.80		X			
M2650-265	1.043	0.104	26.50	2.65		X			
M2650-355	1.043	0.140	26.50	3.55		X			
2-215	1.046	0.139	26.57	3.53	X			X	
3-914	1.047	0.116	26.59	2.95	X			X	
2-121	1.049	0.103	26.64	2.62	X			X	
2-023	1.051	0.070	26.70	1.78	X			X	
M2700-150	1.063	0.059	27.00	1.50			X		
M2700-200	1.063	0.079	27.00	2.00			X		
M2700-250	1.063	0.098	27.00	2.50			X		
M2700-300	1.063	0.118	27.00	3.00			X		
M2700-350	1.063	0.138	27.00	3.50			X		
M2700-400	1.063	0.157	27.00	4.00			X		
M2700-500	1.063	0.197	27.00	5.00			X		

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWE-	FRANCE	JAPAN
M2800-355	1.102	0.140	28.00	3.55	X				
M2800-400	1.102	0.157	28.00	4.00			X		
M2800-500	1.102	0.197	28.00	5.00			X		
2-216	1.109	0.139	28.17	3.53	X			X	
M2820-300	1.110	0.118	28.20	3.00		X			
2-122	1.112	0.103	28.24	2.62	X			X	
2-024	1.114	0.070	28.30	1.78	X			X	
M2870-350	1.130	0.138	28.70	3.50					X
M2900-150	1.142	0.059	29.00	1.50			X		
M2900-200	1.142	0.079	29.00	2.00			X		
M2900-250	1.142	0.098	29.00	2.50			X		
M2900-300	1.142	0.118	29.00	3.00			X		
M2900-350	1.142	0.138	29.00	3.50			X		
M2900-400	1.142	0.157	29.00	4.00			X		
M2900-500	1.142	0.197	29.00	5.00			X		
M2910-160	1.146	0.063	29.10	1.60		X	X		
M2910-255	1.146	0.100	29.10	2.55				X	
M2920-300	1.150	0.118	29.20	3.00		X			
M2930-360	1.154	0.142	29.30	3.60				X	
M2940-310	1.157	0.122	29.40	3.10					X
2-321	1.162	0.210	29.51	5.33	X		X		
M2960-240	1.165	0.094	29.60	2.40			X		
M2970-350	1.169	0.138	29.70	3.50					X
3-916	1.171	0.116	29.74	2.95	X		X		
2-217	1.171	0.139	29.74	3.53	X		X		
2-123	1.174	0.103	29.82	2.62	X		X		
2-025	1.176	0.070	29.87	1.78	X		X		
M3000-150	1.181	0.059	30.00	1.50			X		
M3000-180	1.181	0.071	30.00	1.80	X				
M3000-200	1.181	0.079	30.00	2.00			X		
M3000-250	1.181	0.098	30.00	2.50			X		
M3000-265	1.181	0.104	30.00	2.65	X				
M3000-300	1.181	0.118	30.00	3.00			X		
M3000-350	1.181	0.138	30.00	3.50			X		
M3000-355	1.181	0.140	30.00	3.55	X				
M3000-400	1.181	0.157	30.00	4.00			X		
M3000-500	1.181	0.197	30.00	5.00			X		
M3020-300	1.189	0.118	30.20	3.00		X			
M3030-240	1.193	0.094	30.30	2.40		X			
M3070-350	1.209	0.138	30.70	3.50					X
M3080-360	1.213	0.142	30.80	3.60				X	
M3100-150	1.220	0.059	31.00	1.50			X		
M3100-200	1.220	0.079	31.00	2.00			X		
M3100-250	1.220	0.098	31.00	2.50			X		
M3100-300	1.220	0.118	31.00	3.00			X		
M3100-350	1.220	0.138	31.00	3.50			X		
M3100-400	1.220	0.157	31.00	4.00			X		
M3100-500	1.220	0.197	31.00	5.00			X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWE-	FRANCE	JAPAN
M3200-350	1.260	0.138	32.00	3.50			X		
M3200-400	1.260	0.157	32.00	4.00			X		
M3200-500	1.260	0.197	32.00	5.00			X		
M3210-160	1.264	0.063	32.10	1.60		X	X		
M3220-300	1.268	0.118	32.20	3.00		X			
M3250-180	1.280	0.071	32.50	1.80	X				
M3250-265	1.280	0.104	32.50	2.65	X				
M3250-355	1.280	0.140	32.50	3.55	X				
M3250-360	1.280	0.142	32.50	3.60					X
2-323	1.287	0.210	32.69	5.33	X		X		
2-219	1.296	0.139	32.92	3.53	X		X		
M3300-150	1.299	0.059	33.00	1.50			X		
M3300-200	1.299	0.079	33.00	2.00			X		
M3300-250	1.299	0.098	33.00	2.50			X		
2-125	1.299	0.103	32.99	2.62	X		X		
M3300-300	1.299	0.118	33.00	3.00			X		
M3300-350	1.299	0.138	33.00	3.50			X		
M3300-400	1.299	0.157	33.00	4.00			X		
M3300-500	1.299	0.197	33.00	5.00			X		
2-027	1.301	0.070	33.05	1.78	X		X		
M3330-240	1.311	0.094	33.30	2.40		X			
M3350-180	1.319	0.071	33.50	1.80	X				
M3350-265	1.319	0.104	33.50	2.65	X				
M3350-355	1.319	0.140	33.50	3.55	X				
M3370-350	1.327	0.138	33.70	3.50					X
M3400-150	1.339	0.059	34.00	1.50			X		
M3400-200	1.339	0.079	34.00	2.00			X		
M3400-250	1.339	0.098	34.00	2.50			X		
M3400-300	1.339	0.118	34.00	3.00			X		
M3400-350	1.339	0.138	34.00	3.50			X		
M3400-400	1.339	0.157	34.00	4.00			X		
M3400-500	1.339	0.197	34.00	5.00			X		
M3410-360	1.343	0.142	34.10	3.60					X
M3420-300	1.346	0.118	34.20	3.00		X			
2-324	1.350	0.210	34.29	5.33	X		X		
M3440-310	1.354	0.122	34.40	3.10					X
3-918	1.355	0.116	34.42	2.95	X		X		
M3450-180	1.358	0.071	34.50	1.80	X				
M3450-265	1.358	0.104	34.50	2.65	X				
M3450-355	1.358	0.140	34.50	3.55	X				
2-220	1.359	0.139	34.52	3.53	X		X		
M3460-240	1.362	0.094	34.60	2.40			X		
2-126	1.362	0.103	34.59	2.62	X		X		
2-028	1.364	0.070	34.65	1.78	X		X		
M3470-350	1.366	0.138	34.70	3.50					X
M3500-150	1.378	0.059	35.00	1.50			X		
M3500-200	1.378	0.079	35.00	2.00			X		
M3500-250	1.378	0.098	35.00	2.50			X		

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

O-Ring Comparison Chart

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M3600-250	1.417	0.098	36.00	2.50			X			
M3600-300	1.417	0.118	36.00	3.00			X			
M3600-350	1.417	0.138	36.00	3.50			X			
M3600-400	1.417	0.157	36.00	4.00			X			
M3600-500	1.417	0.197	36.00	5.00			X			
2-221	1.421	0.139	36.09	3.53	X			X		
2-127	1.424	0.103	36.17	2.62	X			X		
M3620-300	1.425	0.118	36.20	3.00		X				
M3620-570	1.425	0.224	36.20	5.70		X				
M3650-180	1.437	0.071	36.50	1.80	X					
M3650-265	1.437	0.104	36.50	2.65	X					
M3650-355	1.437	0.140	36.50	3.55	X					
M3700-150	1.457	0.059	37.00	1.50			X			
M3700-200	1.457	0.079	37.00	2.00			X			
M3700-250	1.457	0.098	37.00	2.50			X			
M3700-300	1.457	0.118	37.00	3.00			X			
M3700-350	1.457	0.138	37.00	3.50			X			
M3700-400	1.457	0.157	37.00	4.00			X			
M3700-500	1.457	0.197	37.00	5.00			X			
M3710-160	1.461	0.063	37.10	1.60		X		X		
M3720-300	1.465	0.118	37.20	3.00		X				
M3720-570	1.465	0.224	37.20	5.70		X				
M3730-360	1.469	0.142	37.30	3.60					X	
3-920	1.475	0.118	37.47	3.00	X			X		
2-325	1.475	0.210	37.47	5.33	X			X	X	
2-401	1.475	0.275	37.47	6.99	X					
M3750-180	1.476	0.071	37.50	1.80	X					
M3750-265	1.476	0.104	37.50	2.65	X					
M3750-355	1.476	0.140	37.50	3.55	X					
M3750-530	1.476	0.209	37.50	5.30	X					
M3760-240	1.480	0.094	37.60	2.40				X		
M3770-350	1.484	0.138	37.70	3.50						X
2-222	1.484	0.139	37.69	3.53	X			X		
2-128	1.487	0.103	37.77	2.62	X			X		
2-029	1.489	0.070	37.82	1.78	X			X		
M3800-150	1.496	0.059	38.00	1.50			X			
M3800-200	1.496	0.079	38.00	2.00			X			
M3800-250	1.496	0.098	38.00	2.50			X			
M3800-300	1.496	0.118	38.00	3.00			X			
M3800-350	1.496	0.138	38.00	3.50			X			
M3800-400	1.496	0.157	38.00	4.00			X			
M3800-500	1.496	0.197	38.00	5.00			X			
M3870-180	1.524	0.071	38.70	1.80	X					
M3870-265	1.524	0.104	38.70	2.65	X					
M3870-350	1.524	0.138	38.70	3.50						X
M3870-355	1.524	0.140	38.70	3.55	X					
M3870-530	1.524	0.209	38.70	5.30	X					
M3900-150	1.535	0.059	39.00	1.50			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M4000-180	1.575	0.071	40.00	1.80		X				
M4000-200	1.575	0.079	40.00	2.00			X			
M4000-250	1.575	0.098	40.00	2.50			X			
M4000-265	1.575	0.104	40.00	2.65	X					
M4000-300	1.575	0.118	40.00	3.00			X			
M4000-350	1.575	0.138	40.00	3.50			X			
M4000-355	1.575	0.140	40.00	3.55	X					
M4000-400	1.575	0.157	40.00	4.00			X			
M4000-500	1.575	0.197	40.00	5.00			X			
M4000-530	1.575	0.209	40.00	5.30	X					
M4020-300	1.583	0.118	40.20	3.00		X				
2-326	1.600	0.210	40.64	5.33	X			X	X	
2-402	1.600	0.275	40.64	6.99	X					
M4070-350	1.602	0.138	40.70	3.50						X
2-223	1.609	0.139	40.87	3.53	X			X		
2-130	1.612	0.103	40.94	2.62	X			X		
M4100-150	1.614	0.059	41.00	1.50			X			
2-030	1.614	0.070	41.00	1.78	X			X		
M4100-200	1.614	0.079	41.00	2.00			X			
M4100-250	1.614	0.098	41.00	2.50			X			
M4100-300	1.614	0.118	41.00	3.00			X			
M4100-350	1.614	0.138	41.00	3.50			X			
M4100-400	1.614	0.157	41.00	4.00			X			
M4100-500	1.614	0.197	41.00	5.00			X			
M4120-180	1.622	0.071	41.20	1.80	X					
M4120-265	1.622	0.104	41.20	2.65	X					
M4120-355	1.622	0.140	41.20	3.55	X					
M4120-530	1.622	0.209	41.20	5.30	X					
M4120-570	1.622	0.224	41.20	5.70		X				
M4128-353	1.625	0.139	41.28	3.53				X		
M4140-530	1.630	0.209	41.40	5.30					X	
M4160-240	1.638	0.094	41.60	2.40				X		
M4170-350	1.642	0.138	41.70	3.50						X
M4200-150	1.654	0.059	42.00	1.50				X		
M4200-200	1.654	0.079	42.00	2.00				X		
M4200-250	1.654	0.098	42.00	2.50				X		
M4200-300	1.654	0.118	42.00	3.00				X		
M4200-350	1.654	0.138	42.00	3.50				X		
M4200-400	1.654	0.157	42.00	4.00				X		
M4200-500	1.654	0.197	42.00	5.00				X		
M4220-300	1.661	0.118	42.20	3.00		X				
M4250-180	1.673	0.071	42.50	1.80	X					
M4250-265	1.673	0.104	42.50	2.65	X					
M4250-355	1.673	0.140	42.50	3.55	X					
M4250-530	1.673	0.209	42.50	5.30	X					
2-131	1.674	0.103	42.52	2.62	X			X		
M4286-353	1.687	0.139	42.86	3.53					X	
M4300-150	1.693	0.059	43.00	1.50			X			

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)					
					AS568A	ISO	SWEDEN	GER-	JAPAN
2-403	1.725	0.275	43.82	6.99	X				
M4400-150	1.732	0.059	44.00	1.50			X		
M4400-200	1.732	0.079	44.00	2.00			X		
M4400-250	1.732	0.098	44.00	2.50			X		
M4400-300	1.732	0.118	44.00	3.00			X		
M4400-350	1.732	0.138	44.00	3.50			X		
M4400-400	1.732	0.157	44.00	4.00			X		
M4400-500	1.732	0.197	44.00	5.00			X		
2-224	1.734	0.139	44.04	3.53	X		X		
2-132	1.737	0.103	44.12	2.62	X		X		
2-031	1.739	0.070	44.17	1.78	X		X		
M4420-300	1.740	0.118	44.20	3.00		X			
M4430-570	1.744	0.224	44.30	5.70		X	X		
M4440-310	1.748	0.122	44.40	3.10					X
M4445-353	1.750	0.139	44.45	3.53			X		
M4460-240	1.756	0.094	44.60	2.40			X		
M4470-350	1.760	0.138	44.70	3.50					X
M4500-150	1.772	0.059	45.00	1.50			X		
M4500-180	1.772	0.071	45.00	1.80	X				
M4500-200	1.772	0.079	45.00	2.00			X		
M4500-250	1.772	0.098	45.00	2.50			X		
M4500-265	1.772	0.104	45.00	2.65	X				
M4500-300	1.772	0.118	45.00	3.00			X		
M4500-350	1.772	0.138	45.00	3.50			X		
M4500-355	1.772	0.140	45.00	3.55	X				
M4500-400	1.772	0.157	45.00	4.00			X		
M4500-500	1.772	0.197	45.00	5.00			X		
M4500-530	1.772	0.209	45.00	5.30	X				
M4520-300	1.780	0.118	45.20	3.00		X			
M4530-570	1.783	0.224	45.30	5.70		X	X		
2-133	1.799	0.103	45.69	2.62	X		X		
M4570-350	1.799	0.138	45.70	3.50					X
M4600-150	1.811	0.059	46.00	1.50			X		
M4600-200	1.811	0.079	46.00	2.00			X		
M4600-250	1.811	0.098	46.00	2.50			X		
M4600-300	1.811	0.118	46.00	3.00			X		
M4600-350	1.811	0.138	46.00	3.50			X		
M4600-400	1.811	0.157	46.00	4.00			X		
M4600-500	1.811	0.197	46.00	5.00			X		
M4604-353	1.813	0.139	46.04	3.53			X		
M4620-265	1.819	0.104	46.20	2.65	X				
M4620-300	1.819	0.118	46.20	3.00		X			
M4620-355	1.819	0.140	46.20	3.55	X				
M4620-530	1.819	0.209	46.20	5.30	X				
M4700-150	1.850	0.059	47.00	1.50			X		
M4700-200	1.850	0.079	47.00	2.00			X		
M4700-250	1.850	0.098	47.00	2.50			X		
M4700-300	1.850	0.118	47.00	3.00			X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)					
					AS568A	ISO	SWEDEN	GER-	JAPAN
M4760-570	1.874	0.224	47.60	5.70					X
M4763-353	1.875	0.139	47.63	3.53				X	
M4770-350	1.878	0.138	47.70	3.50					X
M4800-150	1.890	0.059	48.00	1.50			X		
M4800-200	1.890	0.079	48.00	2.00			X		
M4800-250	1.890	0.098	48.00	2.50			X		
M4800-300	1.890	0.118	48.00	3.00			X		
M4800-350	1.890	0.138	48.00	3.50			X		
M4800-400	1.890	0.157	48.00	4.00			X		
M4800-500	1.890	0.197	48.00	5.00			X		
M4870-265	1.917	0.104	48.70	2.65	X				
M4870-350	1.917	0.138	48.70	3.50					X
M4870-355	1.917	0.140	48.70	3.55	X				
M4870-530	1.917	0.209	48.70	5.30	X				
2-135	1.925	0.103	48.90	2.62	X		X		
M4900-150	1.929	0.059	49.00	1.50			X		
M4900-200	1.929	0.079	49.00	2.00			X		
M4900-250	1.929	0.098	49.00	2.50			X		
M4900-300	1.929	0.118	49.00	3.00			X		
M4900-350	1.929	0.138	49.00	3.50			X		
M4900-400	1.929	0.157	49.00	4.00			X		
M4900-500	1.929	0.197	49.00	5.00			X		
M4921-353	1.937	0.139	49.21	3.53			X		
M4930-570	1.941	0.224	49.30	5.70		X	X		
M4940-310	1.945	0.122	49.40	3.10					X
M4950-300	1.949	0.118	49.50	3.00		X	X		
M4960-240	1.953	0.094	49.60	2.40			X		
M4960-570	1.953	0.224	49.60	5.70					X
M4970-350	1.957	0.138	49.70	3.50					X
M5000-150	1.969	0.059	50.00	1.50			X		
M5000-180	1.969	0.071	50.00	1.80	X				
M5000-200	1.969	0.079	50.00	2.00			X		
M5000-250	1.969	0.098	50.00	2.50			X		
M5000-265	1.969	0.104	50.00	2.65	X				
M5000-300	1.969	0.118	50.00	3.00			X		
M5000-350	1.969	0.138	50.00	3.50			X		
M5000-355	1.969	0.140	50.00	3.55	X				
M5000-400	1.969	0.157	50.00	4.00			X		
M5000-500	1.969	0.197	50.00	5.00			X		
M5000-530	1.969	0.209	50.00	5.30	X				
2-329	1.975	0.210	50.17	5.33	X		X	X	
2-405	1.975	0.275	50.17	6.99	X				
M5020-300	1.976	0.118	50.20	3.00		X			
2-226	1.984	0.139	50.39	3.53	X		X		
2-136	1.987	0.103	50.47	2.62	X		X		
2-033	1.989	0.070	50.52	1.78	X		X		
M5080-353	2.000	0.139	50.80	3.53			X		
M5100-150	2.008	0.059	51.00	1.50			X		

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M5200-250	2.047	0.098	52.00	2.50			X			
M5200-300	2.047	0.118	52.00	3.00			X			
M5200-350	2.047	0.138	52.00	3.50			X			
M5200-400	2.047	0.157	52.00	4.00			X			
M5200-500	2.047	0.197	52.00	5.00			X			
2-137	2.050	0.103	52.07	2.62	X			X		
M5230-570	2.059	0.224	52.30	5.70			X	X		
M5239-353	2.063	0.139	52.39	3.53				X		
M5260-570	2.071	0.224	52.60	5.70						X
M5300-150	2.087	0.059	53.00	1.50			X			
M5300-180	2.087	0.071	53.00	1.80	X					
M5300-200	2.087	0.079	53.00	2.00			X			
M5300-250	2.087	0.098	53.00	2.50			X			
M5300-265	2.087	0.104	53.00	2.65	X					
M5300-300	2.087	0.118	53.00	3.00			X			
M5300-350	2.087	0.138	53.00	3.50			X			
M5300-355	2.087	0.140	53.00	3.55	X					
M5300-400	2.087	0.157	53.00	4.00			X			
M5300-500	2.087	0.197	53.00	5.00			X			
M5300-530	2.087	0.209	53.00	5.30	X					
3-928	2.090	0.118	53.09	3.00	X			X		
2-330	2.100	0.210	53.34	5.33	X			X	X	
2-406	2.100	0.275	53.34	6.99	X					
2-227	2.109	0.139	53.57	3.53	X			X		
2-138	2.112	0.103	53.64	2.62	X			X		
2-034	2.114	0.070	53.70	1.78	X			X		
M5398-353	2.125	0.139	53.98	3.53				X		
M5400-150	2.126	0.059	54.00	1.50			X			
M5400-200	2.126	0.079	54.00	2.00			X			
M5400-250	2.126	0.098	54.00	2.50			X			
M5400-300	2.126	0.118	54.00	3.00			X			
M5400-350	2.126	0.138	54.00	3.50			X			
M5400-400	2.126	0.157	54.00	4.00			X			
M5400-500	2.126	0.197	54.00	5.00			X			
M5430-570	2.138	0.224	54.30	5.70			X	X		
M5440-310	2.142	0.122	54.40	3.10						X
M5440-530	2.142	0.209	54.40	5.30						X
M5450-265	2.146	0.104	54.50	2.65	X					
M5450-300	2.146	0.118	54.50	3.00			X	X		
M5450-355	2.146	0.140	54.50	3.55	X					
M5450-530	2.146	0.209	54.50	5.30	X					
M5460-240	2.150	0.094	54.60	2.40				X		
M5460-570	2.150	0.224	54.60	5.70						X
M5500-150	2.165	0.059	55.00	1.50			X			
M5500-200	2.165	0.079	55.00	2.00			X			
M5500-250	2.165	0.098	55.00	2.50			X			
M5500-300	2.165	0.118	55.00	3.00			X			
M5500-350	2.165	0.138	55.00	3.50			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M5600-400	2.205	0.157	56.00	4.00				X		
M5600-500	2.205	0.197	56.00	5.00				X		
M5600-530	2.205	0.209	56.00	5.30			X			
M5620-300	2.213	0.118	56.20	3.00			X			
2-331	2.225	0.210	56.52	5.33	X				X	X
2-407	2.225	0.275	56.52	6.99	X					
2-228	2.234	0.139	56.74	3.53	X			X		
2-140	2.237	0.103	56.82	2.62	X			X		
2-035	2.239	0.070	56.87	1.78	X			X		
M5700-150	2.244	0.059	57.00	1.50			X			
M5700-200	2.244	0.079	57.00	2.00			X			
M5700-250	2.244	0.098	57.00	2.50			X			
M5700-300	2.244	0.118	57.00	3.00			X			
M5700-350	2.244	0.138	57.00	3.50			X			
M5700-400	2.244	0.157	57.00	4.00			X			
M5700-500	2.244	0.197	57.00	5.00			X			
M5715-353	2.250	0.139	57.15	3.53				X		
M5720-300	2.252	0.118	57.20	3.00			X			
M5730-570	2.256	0.224	57.30	5.70			X	X		
M5760-240	2.268	0.094	57.60	2.40				X		
M5760-570	2.268	0.224	57.60	5.70						X
M5800-150	2.283	0.059	58.00	1.50				X		
M5800-200	2.283	0.079	58.00	2.00				X		
M5800-250	2.283	0.098	58.00	2.50				X		
M5800-265	2.283	0.104	58.00	2.65	X					
M5800-300	2.283	0.118	58.00	3.00				X		
M5800-350	2.283	0.138	58.00	3.50				X		
M5800-355	2.283	0.140	58.00	3.55	X					
M5800-400	2.283	0.157	58.00	4.00				X		
M5800-500	2.283	0.197	58.00	5.00				X		
M5800-530	2.283	0.209	58.00	5.30			X			
2-141	2.300	0.103	58.42	2.62	X				X	
M5874-353	2.313	0.139	58.74	3.53					X	
M5900-150	2.323	0.059	59.00	1.50				X		
M5900-200	2.323	0.079	59.00	2.00				X		
M5900-250	2.323	0.098	59.00	2.50				X		
M5900-300	2.323	0.118	59.00	3.00				X		
M5900-350	2.323	0.138	59.00	3.50				X		
M5900-400	2.323	0.157	59.00	4.00				X		
M5900-500	2.323	0.197	59.00	5.00				X		
M5930-570	2.335	0.224	59.30	5.70			X	X		
3-932	2.337	0.118	59.36	3.00	X				X	
M5940-310	2.339	0.122	59.40	3.10						X
M5950-300	2.343	0.118	59.50	3.00			X	X		
M5960-240	2.346	0.094	59.60	2.40					X	
M5960-570	2.346	0.224	59.60	5.70						X
2-332	2.350	0.210	59.69	5.33	X				X	X
2-408	2.350	0.275	59.69	6.99	X					

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)						
					AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M6033-353	2.375	0.139	60.33	3.53					X	
M6050-300	2.382	0.118	60.50	3.00		X		X		
M6100-150	2.402	0.059	61.00	1.50			X			
M6100-200	2.402	0.079	61.00	2.00			X			
M6100-250	2.402	0.098	61.00	2.50			X			
M6100-300	2.402	0.118	61.00	3.00			X			
M6100-350	2.402	0.138	61.00	3.50			X			
M6100-400	2.402	0.157	61.00	4.00			X			
M6100-500	2.402	0.197	61.00	5.00			X			
M6130-570	2.413	0.224	61.30	5.70		X		X		
M6150-265	2.421	0.104	61.50	2.65	X					
M6150-355	2.421	0.140	61.50	3.55	X					
M6150-530	2.421	0.209	61.50	5.30	X					
M6160-240	2.425	0.000	61.60	2.40				X		
2-143	2.425	0.103	61.60	2.62	X			X		
M6160-570	2.425	0.224	61.60	5.70						X
M6191-353	2.437	0.139	61.91	3.53				X		
M6200-150	2.441	0.059	62.00	1.50			X			
M6200-200	2.441	0.079	62.00	2.00			X			
M6200-250	2.441	0.098	62.00	2.50			X			
M6200-300	2.441	0.118	62.00	3.00			X			
M6200-350	2.441	0.138	62.00	3.50			X			
M6200-400	2.441	0.157	62.00	4.00			X			
M6200-500	2.441	0.197	62.00	5.00			X			
M6220-300	2.449	0.118	62.20	3.00		X				
M6230-570	2.453	0.224	62.30	5.70		X		X		
M6260-570	2.465	0.224	62.60	5.70						X
2-333	2.475	0.210	62.87	5.33	X			X	X	
2-409	2.475	0.275	62.87	6.99	X					
M6300-150	2.480	0.059	63.00	1.50			X			
M6300-180	2.480	0.071	63.00	1.80	X					
M6300-200	2.480	0.079	63.00	2.00			X			
M6300-250	2.480	0.098	63.00	2.50			X			
M6300-265	2.480	0.104	63.00	2.65	X					
M6300-300	2.480	0.118	63.00	3.00			X			
M6300-350	2.480	0.138	63.00	3.50			X			
M6300-355	2.480	0.140	63.00	3.55	X					
M6300-400	2.480	0.157	63.00	4.00			X			
M6300-500	2.480	0.197	63.00	5.00			X			
M6300-530	2.480	0.209	63.00	5.30	X					
2-230	2.484	0.139	63.09	3.53	X			X		
2-144	2.487	0.103	63.17	2.62	X			X		
2-037	2.489	0.070	63.22	1.78	X			X		
M6350-353	2.500	0.139	63.50	3.53				X		
M6400-150	2.520	0.059	64.00	1.50			X			
M6400-200	2.520	0.079	64.00	2.00			X			
M6400-250	2.520	0.098	64.00	2.50			X			
M6400-300	2.520	0.118	64.00	3.00			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)						
					AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M6500-355	2.559	0.140	65.00	3.55		X				
M6500-400	2.559	0.157	65.00	4.00			X			
M6500-500	2.559	0.197	65.00	5.00				X		
M6500-530	2.559	0.209	65.00	5.30		X				
M6510-353	2.563	0.139	65.10	3.53					X	
M6600-150	2.598	0.059	66.00	1.50			X			
M6600-200	2.598	0.079	66.00	2.00			X			
M6600-250	2.598	0.098	66.00	2.50			X			
M6600-300	2.598	0.118	66.00	3.00			X			
M6600-350	2.598	0.138	66.00	3.50			X			
M6600-400	2.598	0.157	66.00	4.00			X			
M6600-500	2.598	0.197	66.00	5.00			X			
2-334	2.600	0.210	66.04	5.33	X				X	X
2-410	2.600	0.275	66.04	6.99	X					
2-231	2.609	0.139	66.27	3.53	X				X	
2-146	2.612	0.103	66.34	2.62	X				X	
2-038	2.614	0.070	66.40	1.78	X				X	
M6660-570	2.622	0.224	66.60	5.70						X
M6667-353	2.625	0.139	66.67	3.53					X	
M6700-150	2.638	0.059	67.00	1.50			X			
M6700-180	2.638	0.071	67.00	1.80		X				
M6700-200	2.638	0.079	67.00	2.00			X			
M6700-250	2.638	0.098	67.00	2.50			X			
M6700-265	2.638	0.104	67.00	2.65	X					
M6700-300	2.638	0.118	67.00	3.00			X			
M6700-350	2.638	0.138	67.00	3.50			X			
M6700-355	2.638	0.140	67.00	3.55	X					
M6700-400	2.638	0.157	67.00	4.00			X			
M6700-500	2.638	0.197	67.00	5.00			X			
M6700-530	2.638	0.209	67.00	5.30	X					
M6730-570	2.650	0.224	67.30	5.70		X		X		
M6760-240	2.661	0.094	67.60	2.40					X	
2-147	2.675	0.103	67.95	2.62	X				X	
M6800-150	2.677	0.059	68.00	1.50			X			
M6800-200	2.677	0.079	68.00	2.00			X			
M6800-250	2.677	0.098	68.00	2.50			X			
M6800-300	2.677	0.118	68.00	3.00			X			
M6800-350	2.677	0.138	68.00	3.50			X			
M6800-400	2.677	0.157	68.00	4.00			X			
M6800-500	2.677	0.197	68.00	5.00			X			
M6826-353	2.687	0.139	68.26	3.53					X	
M6900-150	2.717	0.059	69.00	1.50			X			
M6900-200	2.717	0.079	69.00	2.00			X			
M6900-250	2.717	0.098	69.00	2.50			X			
M6900-265	2.717	0.104	69.00	2.65	X					
M6900-300	2.717	0.118	69.00	3.00			X			
M6900-350	2.717	0.138	69.00	3.50			X			
M6900-355	2.717	0.140	69.00	3.55	X					

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M7000-150	2.756	0.059	70.00	1.50			X			
M7000-200	2.756	0.079	70.00	2.00			X			
M7000-250	2.756	0.098	70.00	2.50			X			
M7000-300	2.756	0.118	70.00	3.00			X			
M7000-350	2.756	0.138	70.00	3.50			X			
M7000-400	2.756	0.157	70.00	4.00			X			
M7000-500	2.756	0.197	70.00	5.00			X			
M7060-570	2.780	0.224	70.60	5.70						X
M7100-150	2.795	0.059	71.00	1.50			X			
M7100-180	2.795	0.071	71.00	1.80	X					
M7100-200	2.795	0.079	71.00	2.00			X			
M7100-250	2.795	0.098	71.00	2.50			X			
M7100-265	2.795	0.104	71.00	2.65	X					
M7100-300	2.795	0.118	71.00	3.00			X			
M7100-350	2.795	0.138	71.00	3.50			X			
M7100-355	2.795	0.140	71.00	3.55	X					
M7100-400	2.795	0.157	71.00	4.00			X			
M7100-500	2.795	0.197	71.00	5.00			X			
M7100-530	2.795	0.209	71.00	5.30	X					
2-149	2.800	0.103	71.12	2.62	X			X		
M7130-570	2.807	0.224	71.30	5.70		X	X			
M7144-353	2.813	0.139	71.44	3.53				X		
M7200-150	2.835	0.059	72.00	1.50			X			
M7200-200	2.835	0.079	72.00	2.00			X			
M7200-250	2.835	0.098	72.00	2.50			X			
M7200-300	2.835	0.118	72.00	3.00			X			
M7200-350	2.835	0.138	72.00	3.50			X			
M7200-400	2.835	0.157	72.00	4.00			X			
M7200-500	2.835	0.197	72.00	5.00			X			
M7230-570	2.846	0.224	72.30	5.70		X	X			
2-336	2.850	0.210	72.39	5.33	X			X	X	
2-412	2.850	0.275	72.39	6.99	X					
2-233	2.859	0.139	72.62	3.53	X		X			
2-150	2.862	0.103	72.69	2.62	X			X		
2-040	2.864	0.070	72.75	1.78	X			X		
M7300-150	2.874	0.059	73.00	1.50			X			
M7300-200	2.874	0.079	73.00	2.00			X			
M7300-250	2.874	0.098	73.00	2.50			X			
M7300-265	2.874	0.104	73.00	2.65	X					
M7300-300	2.874	0.118	73.00	3.00			X			
M7300-350	2.874	0.138	73.00	3.50			X			
M7300-355	2.874	0.140	73.00	3.55	X					
M7300-400	2.874	0.157	73.00	4.00			X			
M7300-500	2.874	0.197	73.00	5.00			X			
M7300-530	2.874	0.209	73.00	5.30	X					
M7302-353	2.875	0.139	73.02	3.53				X		
M7400-150	2.913	0.059	74.00	1.50			X			
M7400-200	2.913	0.079	74.00	2.00			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M7500-200	2.953	0.079	75.00	2.00				X		
M7500-250	2.953	0.098	75.00	2.50				X		
M7500-265	2.953	0.104	75.00	2.65	X					
M7500-300	2.953	0.118	75.00	3.00				X		
M7500-350	2.953	0.138	75.00	3.50				X		
M7500-355	2.953	0.140	75.00	3.55	X					
M7500-400	2.953	0.157	75.00	4.00				X		
M7500-500	2.953	0.197	75.00	5.00				X		
M7500-530	2.953	0.209	75.00	5.30	X					
2-337	2.975	0.210	75.57	5.33	X				X	X
2-413	2.975	0.275	75.57	6.99	X					
2-234	2.984	0.139	75.79	3.53	X			X		
2-151	2.987	0.103	75.87	2.62	X			X		
2-041	2.989	0.070	75.92	1.78	X			X		
M7600-150	2.992	0.059	76.00	1.50				X		
M7600-200	2.992	0.079	76.00	2.00				X		
M7600-250	2.992	0.098	76.00	2.50				X		
M7600-300	2.992	0.118	76.00	3.00				X		
M7600-350	2.992	0.138	76.00	3.50				X		
M7600-400	2.992	0.157	76.00	4.00				X		
M7600-500	2.992	0.197	76.00	5.00				X		
M7700-150	3.031	0.059	77.00	1.50				X		
M7700-200	3.031	0.079	77.00	2.00				X		
M7700-250	3.031	0.098	77.00	2.50				X		
M7700-300	3.031	0.118	77.00	3.00				X		
M7700-350	3.031	0.138	77.00	3.50				X		
M7700-400	3.031	0.157	77.00	4.00				X		
M7700-500	3.031	0.197	77.00	5.00				X		
M7730-570	3.043	0.224	77.30	5.70			X		X	
M7750-355	3.051	0.140	77.50	3.55	X					
M7750-530	3.051	0.209	77.50	5.30	X					
M7800-150	3.071	0.059	78.00	1.50				X		
M7800-200	3.071	0.079	78.00	2.00				X		
M7800-250	3.071	0.098	78.00	2.50				X		
M7800-300	3.071	0.118	78.00	3.00				X		
M7800-350	3.071	0.138	78.00	3.50				X		
M7800-400	3.071	0.157	78.00	4.00				X		
M7800-500	3.071	0.197	78.00	5.00				X		
2-338	3.100	0.210	78.74	5.33	X				X	X
2-414	3.100	0.275	78.74	6.99	X					
2-235	3.109	0.139	78.97	3.53	X			X		
M7900-150	3.110	0.059	79.00	1.50				X		
M7900-200	3.110	0.079	79.00	2.00				X		
M7900-250	3.110	0.098	79.00	2.50				X		
M7900-300	3.110	0.118	79.00	3.00				X		
M7900-350	3.110	0.138	79.00	3.50				X		
M7900-400	3.110	0.157	79.00	4.00				X		
M7900-500	3.110	0.197	79.00	5.00				X		

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GER-MAN	FRANCE	JAPAN
M8000-500	3.150	0.197	80.00	5.00			X		
M8000-530	3.150	0.209	80.00	5.30	X				
M8100-150	3.189	0.059	81.00	1.50			X		
M8100-200	3.189	0.079	81.00	2.00			X		
M8100-250	3.189	0.098	81.00	2.50			X		
M8100-300	3.189	0.118	81.00	3.00			X		
M8100-350	3.189	0.138	81.00	3.50			X		
M8100-400	3.189	0.157	81.00	4.00			X		
M8100-500	3.189	0.197	81.00	5.00			X		
M8130-570	3.201	0.224	81.30	5.70		X	X		
2-339	3.225	0.210	81.92	5.33	X		X	X	
2-415	3.225	0.275	81.92	6.99	X				
M8200-150	3.228	0.059	82.00	1.50			X		
M8200-200	3.228	0.079	82.00	2.00			X		
M8200-250	3.228	0.098	82.00	2.50			X		
M8200-300	3.228	0.118	82.00	3.00			X		
M8200-350	3.228	0.138	82.00	3.50			X		
M8200-400	3.228	0.157	82.00	4.00			X		
M8200-500	3.228	0.197	82.00	5.00			X		
2-236	3.234	0.139	82.14	3.53	X		X		
2-152	3.237	0.103	82.22	2.62	X		X		
2-042	3.239	0.070	82.27	1.78	X		X		
M8230-570	3.240	0.224	82.30	5.70		X	X		
M8250-355	3.248	0.140	82.50	3.55	X				
M8250-530	3.248	0.209	82.50	5.30	X				
M8300-150	3.268	0.059	83.00	1.50			X		
M8300-200	3.268	0.079	83.00	2.00			X		
M8300-250	3.268	0.098	83.00	2.50			X		
M8300-300	3.268	0.118	83.00	3.00			X		
M8300-350	3.268	0.138	83.00	3.50			X		
M8300-400	3.268	0.157	83.00	4.00			X		
M8300-500	3.268	0.197	83.00	5.00			X		
M8380-262	3.299	0.103	83.80	2.62			X		
M8400-150	3.307	0.059	84.00	1.50			X		
M8400-200	3.307	0.079	84.00	2.00			X		
M8400-250	3.307	0.098	84.00	2.50			X		
M8400-300	3.307	0.118	84.00	3.00			X		
M8400-350	3.307	0.138	84.00	3.50			X		
M8400-400	3.307	0.157	84.00	4.00			X		
M8400-500	3.307	0.197	84.00	5.00			X		
M8430-570	3.319	0.224	84.30	5.70		X	X		
M8440-310	3.323	0.122	84.40	3.10					X
M8450-300	3.327	0.118	84.50	3.00		X	X		
M8460-570	3.331	0.224	84.60	5.70					X
M8500-150	3.346	0.059	85.00	1.50			X		
M8500-180	3.346	0.071	85.00	1.80	X				
M8500-200	3.346	0.079	85.00	2.00			X		
M8500-250	3.346	0.098	85.00	2.50			X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GER-MAN	FRANCE	JAPAN
M8600-350	3.386	0.138	86.00	3.50			X		
M8600-400	3.386	0.157	86.00	4.00			X		
M8600-500	3.386	0.197	86.00	5.00			X		
M8700-150	3.425	0.059	87.00	1.50			X		
M8700-200	3.425	0.079	87.00	2.00			X		
M8700-250	3.425	0.098	87.00	2.50			X		
M8700-300	3.425	0.118	87.00	3.00			X		
M8700-350	3.425	0.138	87.00	3.50			X		
M8700-400	3.425	0.157	87.00	4.00			X		
M8700-500	3.425	0.197	87.00	5.00			X		
M8730-570	3.437	0.224	87.30	5.70		X	X		
M8750-355	3.445	0.140	87.50	3.55	X				
M8750-530	3.445	0.209	87.50	5.30	X				
M8800-150	3.465	0.059	88.00	1.50			X		
M8800-200	3.465	0.079	88.00	2.00			X		
M8800-250	3.465	0.098	88.00	2.50			X		
M8800-300	3.465	0.118	88.00	3.00			X		
M8800-350	3.465	0.138	88.00	3.50			X		
M8800-400	3.465	0.157	88.00	4.00			X		
M8800-500	3.465	0.197	88.00	5.00			X		
2-341	3.475	0.210	88.27	5.33	X		X	X	
2-417	3.475	0.275	88.27	6.99	X				
2-238	3.484	0.139	88.49	3.53	X		X		
2-153	3.487	0.103	88.57	2.62	X		X		
2-043	3.489	0.070	88.62	1.78	X		X		
M8900-150	3.504	0.059	89.00	1.50			X		
M8900-200	3.504	0.079	89.00	2.00			X		
M8900-250	3.504	0.098	89.00	2.50			X		
M8900-300	3.504	0.118	89.00	3.00			X		
M8900-350	3.504	0.138	89.00	3.50			X		
M8900-400	3.504	0.157	89.00	4.00			X		
M8900-500	3.504	0.197	89.00	5.00			X		
M8930-570	3.516	0.224	89.30	5.70		X	X		
M8940-310	3.520	0.122	89.40	3.10					X
M8950-300	3.524	0.118	89.50	3.00		X	X		
M8960-570	3.528	0.224	89.60	5.70					X
M8969-533	3.531	0.210	89.69	5.33			X		
M9000-150	3.543	0.059	90.00	1.50			X		
M9000-180	3.543	0.071	90.00	1.80	X				
M9000-200	3.543	0.079	90.00	2.00			X		
M9000-250	3.543	0.098	90.00	2.50			X		
M9000-265	3.543	0.104	90.00	2.65	X				
M9000-300	3.543	0.118	90.00	3.00			X		
M9000-350	3.543	0.138	90.00	3.50			X		
M9000-355	3.543	0.140	90.00	3.55	X				
M9000-400	3.543	0.157	90.00	4.00			X		
M9000-500	3.543	0.197	90.00	5.00			X		
M9000-530	3.543	0.209	90.00	5.30	X				

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M9200-350	3.622	0.138	92.00	3.50			X			
M9200-400	3.622	0.157	92.00	4.00			X			
M9200-500	3.622	0.197	92.00	5.00			X			
M9230-570	3.634	0.224	92.30	5.70		X	X			
M9250-355	3.642	0.140	92.50	3.55	X					
M9250-530	3.642	0.209	92.50	5.30	X					
M9300-150	3.661	0.059	93.00	1.50			X			
M9300-200	3.661	0.079	93.00	2.00			X			
M9300-250	3.661	0.098	93.00	2.50			X			
M9300-300	3.661	0.118	93.00	3.00			X			
M9300-350	3.661	0.138	93.00	3.50			X			
M9300-400	3.661	0.157	93.00	4.00			X			
M9300-500	3.661	0.197	93.00	5.00			X			
M9400-150	3.701	0.059	94.00	1.50			X			
M9400-200	3.701	0.079	94.00	2.00			X			
M9400-250	3.701	0.098	94.00	2.50			X			
M9400-300	3.701	0.118	94.00	3.00			X			
M9400-350	3.701	0.138	94.00	3.50			X			
M9400-400	3.701	0.157	94.00	4.00			X			
M9400-500	3.701	0.197	94.00	5.00			X			
M9430-570	3.713	0.224	94.30	5.70		X	X			
M9440-310	3.717	0.122	94.40	3.10						X
M9450-300	3.720	0.118	94.50	3.00		X	X			
M9460-570	3.724	0.224	94.60	5.70						X
2-343	3.725	0.210	94.62	5.33	X		X	X		
2-419	3.725	0.275	94.62	6.99	X					
2-240	3.734	0.139	94.84	3.53	X		X			
2-154	3.737	0.103	94.92	2.62	X		X			
2-044	3.739	0.070	94.97	1.78	X		X			
M9500-150	3.740	0.059	95.00	1.50			X			
M9500-180	3.740	0.071	95.00	1.80	X					
M9500-200	3.740	0.079	95.00	2.00			X			
M9500-250	3.740	0.098	95.00	2.50			X			
M9500-265	3.740	0.104	95.00	2.65	X					
M9500-300	3.740	0.118	95.00	3.00			X			
M9500-350	3.740	0.138	95.00	3.50			X			
M9500-355	3.740	0.140	95.00	3.55	X					
M9500-400	3.740	0.157	95.00	4.00			X			
M9500-500	3.740	0.197	95.00	5.00			X			
M9500-530	3.740	0.209	95.00	5.30	X					
M9600-150	3.780	0.059	96.00	1.50			X			
M9600-200	3.780	0.079	96.00	2.00			X			
M9600-250	3.780	0.098	96.00	2.50			X			
M9600-300	3.780	0.118	96.00	3.00			X			
M9600-350	3.780	0.138	96.00	3.50			X			
M9600-400	3.780	0.157	96.00	4.00			X			
M9600-500	3.780	0.197	96.00	5.00			X			
M9700-150	3.819	0.059	97.00	1.50			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M9800-300	3.858	0.118	98.00	3.00				X		
M9800-350	3.858	0.138	98.00	3.50			X			
M9800-400	3.858	0.157	98.00	4.00			X			
M9800-500	3.858	0.197	98.00	5.00			X			
2-241	3.859	0.139	98.02	3.53	X			X		
M9900-150	3.898	0.059	99.00	1.50			X			
M9900-200	3.898	0.079	99.00	2.00			X			
M9900-250	3.898	0.098	99.00	2.50			X			
M9900-300	3.898	0.118	99.00	3.00			X			
M9900-350	3.898	0.138	99.00	3.50			X			
M9900-400	3.898	0.157	99.00	4.00			X			
M9900-500	3.898	0.197	99.00	5.00			X			
M9930-570	3.909	0.224	99.30	5.70		X	X			
M9940-310	3.913	0.122	99.40	3.10						X
M9950-300	3.917	0.118	99.50	3.00		X	X			
M9960-570	3.921	0.224	99.60	5.70						X
M10000-150	3.937	0.059	100.00	1.50			X			
M10000-180	3.937	0.071	100.00	1.80	X					
M10000-200	3.937	0.079	100.00	2.00			X			
M10000-250	3.937	0.098	100.00	2.50			X			
M10000-265	3.937	0.104	100.00	2.65		X				
M10000-300	3.937	0.118	100.00	3.00			X			
M10000-350	3.937	0.138	100.00	3.50			X			
M10000-355	3.937	0.140	100.00	3.55	X					
M10000-400	3.937	0.157	100.00	4.00			X			
M10000-500	3.937	0.197	100.00	5.00			X			
M10000-530	3.937	0.209	100.00	5.30	X					
M10000-533	3.937	0.210	100.00	5.33				X		
2-345	3.975	0.210	100.97	5.33	X			X	X	
2-421	3.975	0.275	100.97	6.99	X					
M10100-250	3.976	0.098	101.00	2.50			X			
M10100-300	3.976	0.118	101.00	3.00			X			
M10100-350	3.976	0.138	101.00	3.50			X			
M10100-400	3.976	0.157	101.00	4.00			X			
M10100-500	3.976	0.197	101.00	5.00			X			
2-242	3.984	0.139	101.19	3.53	X			X		
2-155	3.987	0.103	101.27	2.62	X			X		
2-045	3.989	0.070	101.32	1.78	X			X		
M10160-570	4.000	0.224	101.60	5.70						X
M10200-250	4.016	0.098	102.00	2.50			X			
M10200-300	4.016	0.118	102.00	3.00			X			
M10200-350	4.016	0.138	102.00	3.50			X			
M10200-400	4.016	0.157	102.00	4.00			X			
M10200-500	4.016	0.197	102.00	5.00			X			
M10300-250	4.055	0.098	103.00	2.50			X			
M10300-300	4.055	0.118	103.00	3.00			X			
M10300-350	4.055	0.138	103.00	3.50			X			
M10300-355	4.055	0.140	103.00	3.55	X					

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GER-MAN	FRANCE	JAPAN
M10460-570	4.118	0.224	104.60	5.70					X
M10500-250	4.134	0.098	105.00	2.50		X			
M10500-300	4.134	0.118	105.00	3.00		X			
M10500-350	4.134	0.138	105.00	3.50		X			
M10500-400	4.134	0.157	105.00	4.00		X			
M10500-500	4.134	0.197	105.00	5.00		X			
M10600-180	4.173	0.071	106.00	1.80	X				
M10600-250	4.173	0.098	106.00	2.50		X			
M10600-265	4.173	0.104	106.00	2.65	X				
M10600-300	4.173	0.118	106.00	3.00		X			
M10600-350	4.173	0.138	106.00	3.50		X			
M10600-355	4.173	0.140	106.00	3.55	X				
M10600-400	4.173	0.157	106.00	4.00		X			
M10600-500	4.173	0.197	106.00	5.00		X			
M10600-530	4.173	0.209	106.00	5.30	X				
M10700-250	4.213	0.098	107.00	2.50		X			
M10700-300	4.213	0.118	107.00	3.00		X			
M10700-350	4.213	0.138	107.00	3.50		X			
M10700-400	4.213	0.157	107.00	4.00		X			
M10700-500	4.213	0.197	107.00	5.00		X			
2-347	4.225	0.210	107.32	5.33	X		X	X	
2-423	4.225	0.275	107.32	6.99	X				
2-244	4.234	0.139	107.54	3.53	X		X		
2-156	4.237	0.103	107.62	2.62	X		X		
2-046	4.239	0.070	107.67	1.78	X		X		
M10800-250	4.252	0.098	108.00	2.50		X			
M10800-300	4.252	0.118	108.00	3.00		X			
M10800-350	4.252	0.138	108.00	3.50		X			
M10800-400	4.252	0.157	108.00	4.00		X			
M10800-500	4.252	0.197	108.00	5.00		X			
M10900-250	4.291	0.098	109.00	2.50		X			
M10900-300	4.291	0.118	109.00	3.00		X			
M10900-350	4.291	0.138	109.00	3.50		X			
M10900-355	4.291	0.140	109.00	3.55	X				
M10900-400	4.291	0.157	109.00	4.00		X			
M10900-500	4.291	0.197	109.00	5.00		X			
M10900-530	4.291	0.209	109.00	5.30	X				
M10900-700	4.291	0.276	109.00	7.00	X				
M10930-570	4.303	0.224	109.30	5.70		X	X		
M10940-310	4.307	0.122	109.40	3.10					X
M10950-300	4.311	0.118	109.50	3.00		X	X		
M1095-0533	4.313	0.210	109.54	5.33			X		
M10960-570	4.315	0.224	109.60	5.70					X
M11000-250	4.331	0.098	110.00	2.50		X			
M11000-300	4.331	0.118	110.00	3.00		X			
M11000-350	4.331	0.138	110.00	3.50		X			
M11000-400	4.331	0.157	110.00	4.00		X			
M11000-500	4.331	0.197	110.00	5.00		X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GER-MAN	FRANCE	JAPAN
M11200-355	4.409	0.140	112.00	3.55		X			
M11200-400	4.409	0.157	112.00	4.00			X		
M11200-500	4.409	0.197	112.00	5.00			X		
M11200-700	4.409	0.276	112.00	7.00		X			
M11300-250	4.449	0.098	113.00	2.50			X		
M11300-300	4.449	0.118	113.00	3.00			X		
M11300-350	4.449	0.138	113.00	3.50			X		
M11300-400	4.449	0.157	113.00	4.00			X		
M11300-500	4.449	0.197	113.00	5.00			X		
2-349	4.475	0.210	113.67	5.33	X			X	X
2-425	4.475	0.275	113.67	6.99	X			X	
2-246	4.484	0.139	113.89	3.53	X			X	
2-157	4.487	0.103	113.97	2.62	X			X	
M11400-250	4.488	0.098	114.00	2.50			X		
M11400-300	4.488	0.118	114.00	3.00			X		
M11400-350	4.488	0.138	114.00	3.50			X		
M11400-400	4.488	0.157	114.00	4.00			X		
M11400-500	4.488	0.197	114.00	5.00			X		
2-047	4.489	0.070	114.02	1.78	X			X	
M11430-570	4.500	0.224	114.30	5.70		X	X		
M11440-310	4.504	0.122	114.40	3.10					X
M11450-300	4.508	0.118	114.50	3.00		X	X		
M11460-570	4.512	0.224	114.60	5.70					X
M11470-699	4.516	0.275	114.70	6.99			X		
M11500-250	4.528	0.098	115.00	2.50			X		
M11500-300	4.528	0.118	115.00	3.00			X		
M11500-350	4.528	0.138	115.00	3.50			X		
M11500-355	4.528	0.140	115.00	3.55	X				
M11500-400	4.528	0.157	115.00	4.00			X		
M11500-500	4.528	0.197	115.00	5.00			X		
M11500-530	4.528	0.209	115.00	5.30	X				
M11500-700	4.528	0.276	115.00	7.00	X				
M11600-250	4.567	0.098	116.00	2.50			X		
M11600-300	4.567	0.118	116.00	3.00			X		
M11600-350	4.567	0.138	116.00	3.50			X		
M11600-400	4.567	0.157	116.00	4.00			X		
M11600-500	4.567	0.197	116.00	5.00			X		
2-350	4.600	0.210	116.84	5.33	X			X	
2-426	4.600	0.275	116.84	6.99	X			X	
M11700-250	4.606	0.098	117.00	2.50			X		
M11700-300	4.606	0.118	117.00	3.00			X		
M11700-350	4.606	0.138	117.00	3.50			X		
M11700-400	4.606	0.157	117.00	4.00			X		
M11700-500	4.606	0.197	117.00	5.00			X		
2-247	4.609	0.139	117.07	3.53	X			X	
M11748-533	4.625	0.210	117.48	5.33				X	
M11800-180	4.646	0.071	118.00	1.80		X			
M11800-250	4.646	0.098	118.00	2.50			X		

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)						
					AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M11940-310	4.701	0.122	119.40	3.10						X
M11950-300	4.705	0.118	119.50	3.00		X	X			
M11960-570	4.709	0.224	119.60	5.70						X
M12000-250	4.724	0.098	120.00	2.50			X			
M12000-300	4.724	0.118	120.00	3.00			X			
M12000-350	4.724	0.138	120.00	3.50			X			
M12000-400	4.724	0.157	120.00	4.00			X			
M12000-500	4.724	0.197	120.00	5.00			X			
2-351	4.725	0.210	120.02	5.33	X		X			
2-427	4.725	0.275	120.02	6.99	X		X			
2-248	4.734	0.139	120.24	3.53	X		X			
2-158	4.737	0.103	120.32	2.62	X		X			
2-048	4.739	0.070	120.37	1.78	X		X			
M12065-533	4.750	0.210	120.65	5.33			X			
M12100-250	4.764	0.098	121.00	2.50			X			
M12100-300	4.764	0.118	121.00	3.00			X			
M12100-350	4.764	0.138	121.00	3.50			X			
M12100-400	4.764	0.157	121.00	4.00			X			
M12100-500	4.764	0.197	121.00	5.00			X			
M12200-250	4.803	0.098	122.00	2.50			X			
M12200-300	4.803	0.118	122.00	3.00			X			
M12200-350	4.803	0.138	122.00	3.50			X			
M12200-355	4.803	0.140	122.00	3.55	X					
M12200-400	4.803	0.157	122.00	4.00			X			
M12200-500	4.803	0.197	122.00	5.00			X			
M12200-530	4.803	0.209	122.00	5.30	X					
M12200-700	4.803	0.276	122.00	7.00	X					
M12300-250	4.843	0.098	123.00	2.50			X			
M12300-300	4.843	0.118	123.00	3.00			X			
M12300-350	4.843	0.138	123.00	3.50			X			
M12300-400	4.843	0.157	123.00	4.00			X			
M12300-500	4.843	0.197	123.00	5.00			X			
2-352	4.850	0.210	123.19	5.33	X		X			
2-428	4.850	0.275	123.19	6.99	X		X			
2-249	4.859	0.139	123.42	3.53	X		X			
M12383-533	4.875	0.210	123.83	5.33			X			
M12400-250	4.882	0.098	124.00	2.50			X			
M12400-300	4.882	0.118	124.00	3.00			X			
M12400-350	4.882	0.138	124.00	3.50			X			
M12400-400	4.882	0.157	124.00	4.00			X			
M12400-500	4.882	0.197	124.00	5.00			X			
M12430-570	4.894	0.224	124.30	5.70		X	X			
M12440-310	4.898	0.122	124.40	3.10						X
M12450-300	4.902	0.118	124.50	3.00		X	X			
M12460-570	4.906	0.224	124.60	5.70						X
M12460-699	4.906	0.275	124.60	6.99			X			
M12500-180	4.921	0.071	125.00	1.80	X					
M12500-250	4.921	0.098	125.00	2.50			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)						
					AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
2-429	4.975	0.275	126.37	6.99	X			X	X	
2-250	4.984	0.139	126.59	3.53	X			X		
2-159	4.987	0.103	126.67	2.62	X			X		
2-049	4.989	0.070	126.72	1.78	X			X		
M12700-250	5.000	0.098	127.00	2.50				X		
M12700-300	5.000	0.118	127.00	3.00				X		
M12700-350	5.000	0.138	127.00	3.50				X		
M12700-400	5.000	0.157	127.00	4.00				X		
M12700-500	5.000	0.197	127.00	5.00				X		
M12700-533	5.000	0.210	127.00	5.33					X	
M12800-250	5.039	0.098	128.00	2.50				X		
M12800-300	5.039	0.118	128.00	3.00				X		
M12800-350	5.039	0.138	128.00	3.50				X		
M12800-355	5.039	0.140	128.00	3.55	X					
M12800-400	5.039	0.157	128.00	4.00				X		
M12800-500	5.039	0.197	128.00	5.00				X		
M12800-530	5.039	0.209	128.00	5.30	X					
M12800-700	5.039	0.276	128.00	7.00	X					
M12900-250	5.079	0.098	129.00	2.50				X		
M12900-300	5.079	0.118	129.00	3.00				X		
M12900-350	5.079	0.138	129.00	3.50				X		
M12900-400	5.079	0.157	129.00	4.00				X		
M12900-500	5.079	0.197	129.00	5.00				X		
M12930-570	5.091	0.224	129.30	5.70			X	X		
M12940-310	5.094	0.122	129.40	3.10						X
M12950-300	5.098	0.118	129.50	3.00			X	X		
2-354	5.100	0.210	129.54	5.33	X			X		
2-430	5.100	0.275	129.54	6.99	X			X	X	
M12960-570	5.102	0.224	129.60	5.70						X
2-251	5.109	0.139	129.77	3.53	X			X		
M13000-250	5.118	0.098	130.00	2.50				X		
M13000-300	5.118	0.118	130.00	3.00				X		
M13000-350	5.118	0.138	130.00	3.50				X		
M13000-400	5.118	0.157	130.00	4.00				X		
M13000-500	5.118	0.197	130.00	5.00				X		
M13018-533	5.125	0.210	130.18	5.33					X	
M13100-250	5.157	0.098	131.00	2.50				X		
M13100-300	5.157	0.118	131.00	3.00				X		
M13100-350	5.157	0.138	131.00	3.50				X		
M13100-400	5.157	0.157	131.00	4.00				X		
M13100-500	5.157	0.197	131.00	5.00				X		
M13160-570	5.181	0.224	131.60	5.70						X
M13200-250	5.197	0.098	132.00	2.50				X		
M13200-265	5.197	0.104	132.00	2.65	X					
M13200-300	5.197	0.118	132.00	3.00				X		
M13200-350	5.197	0.138	132.00	3.50				X		
M13200-355	5.197	0.140	132.00	3.55	X					
M13200-400	5.197	0.157	132.00	4.00				X		

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GER- MANN	FRANCE JAPAN
M13400-250	5.276	0.098	134.00	2.50		X	
M13400-300	5.276	0.118	134.00	3.00		X	
M13400-350	5.276	0.138	134.00	3.50		X	
M13400-400	5.276	0.157	134.00	4.00		X	
M13400-500	5.276	0.197	134.00	5.00		X	
M13430-570	5.287	0.224	134.30	5.70		X	X
M13440-310	5.291	0.122	134.40	3.10			X
M13450-300	5.295	0.118	134.50	3.00		X	X
M13450-699	5.295	0.275	134.50	6.99		X	
M13460-570	5.299	0.224	134.60	5.70			X
M13500-250	5.315	0.098	135.00	2.50		X	
M13500-300	5.315	0.118	135.00	3.00		X	
M13500-350	5.315	0.138	135.00	3.50		X	
M13500-400	5.315	0.157	135.00	4.00		X	
M13500-500	5.315	0.197	135.00	5.00		X	
2-356	5.350	0.210	135.89	5.33	X		X
2-432	5.350	0.275	135.89	6.99	X		X X
M13600-250	5.354	0.098	136.00	2.50		X	
M13600-300	5.354	0.118	136.00	3.00		X	
M13600-350	5.354	0.138	136.00	3.50		X	
M13600-355	5.354	0.140	136.00	3.55	X		
M13600-400	5.354	0.157	136.00	4.00		X	
M13600-500	5.354	0.197	136.00	5.00		X	
M13600-530	5.354	0.209	136.00	5.30	X		
M13600-700	5.354	0.276	136.00	7.00	X		
2-253	5.359	0.139	136.12	3.53	X		X
M13653-533	5.375	0.210	136.53	5.33			X
M13700-250	5.394	0.098	137.00	2.50		X	
M13700-300	5.394	0.118	137.00	3.00		X	
M13700-350	5.394	0.138	137.00	3.50		X	
M13700-400	5.394	0.157	137.00	4.00		X	
M13700-500	5.394	0.197	137.00	5.00		X	
M13800-250	5.433	0.098	138.00	2.50		X	
M13800-300	5.433	0.118	138.00	3.00		X	
M13800-350	5.433	0.138	138.00	3.50		X	
M13800-400	5.433	0.157	138.00	4.00		X	
M13800-500	5.433	0.197	138.00	5.00		X	
M13900-250	5.472	0.098	139.00	2.50		X	
M13900-300	5.472	0.118	139.00	3.00		X	
M13900-350	5.472	0.138	139.00	3.50		X	
M13900-400	5.472	0.157	139.00	4.00		X	
M13900-500	5.472	0.197	139.00	5.00		X	
2-357	5.475	0.210	139.07	5.33	X		X
2-433	5.475	0.275	139.07	6.99	X		X X
2-254	5.484	0.139	139.29	3.53	X		X
M13930-570	5.484	0.224	139.30	5.70		X	X
2-161	5.487	0.103	139.37	2.62	X		X
M13940-310	5.488	0.122	139.40	3.10			X

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GER- MANN	FRANCE JAPAN
M14100-350	5.551	0.138	141.00	3.50		X	
M14100-400	5.551	0.157	141.00	4.00		X	
M14100-500	5.551	0.197	141.00	5.00		X	
M14200-250	5.591	0.098	142.00	2.50		X	
M14200-300	5.591	0.118	142.00	3.00		X	
M14200-350	5.591	0.138	142.00	3.50		X	
M14200-400	5.591	0.157	142.00	4.00		X	
M14200-500	5.591	0.197	142.00	5.00		X	
2-358	5.600	0.210	142.24	5.33	X		X
2-434	5.600	0.275	142.24	6.99	X		X X
2-255	5.609	0.139	142.47	3.53	X		X
M14288-533	5.625	0.210	142.88	5.33			X
M14300-250	5.630	0.098	143.00	2.50		X	
M14300-300	5.630	0.118	143.00	3.00		X	
M14300-350	5.630	0.138	143.00	3.50		X	
M14300-400	5.630	0.157	143.00	4.00		X	
M14300-500	5.630	0.197	143.00	5.00		X	
M14400-250	5.669	0.098	144.00	2.50		X	
M14400-300	5.669	0.118	144.00	3.00		X	
M14400-350	5.669	0.138	144.00	3.50		X	
M14400-400	5.669	0.157	144.00	4.00		X	
M14400-500	5.669	0.197	144.00	5.00		X	
M14410-840	5.673	0.331	144.10	8.40		X	X
M14430-570	5.681	0.224	144.30	5.70		X	X
M14440-310	5.685	0.122	144.40	3.10			X
M14450-300	5.689	0.118	144.50	3.00		X	X
M14460-570	5.693	0.224	144.60	5.70			X
M14500-250	5.709	0.098	145.00	2.50		X	
M14500-300	5.709	0.118	145.00	3.00		X	
M14500-350	5.709	0.138	145.00	3.50		X	
M14500-355	5.709	0.140	145.00	3.55	X		
M14500-400	5.709	0.157	145.00	4.00		X	
M14500-500	5.709	0.197	145.00	5.00		X	
M14500-530	5.709	0.209	145.00	5.30	X		
M14500-700	5.709	0.276	145.00	7.00	X		
2-359	5.725	0.210	145.42	5.33	X		X
2-435	5.725	0.275	145.42	6.99	X		X X
2-256	5.734	0.139	145.64	3.53	X		X
2-162	5.737	0.103	145.72	2.62	X		X
M14600-250	5.748	0.098	146.00	2.50		X	
M14600-300	5.748	0.118	146.00	3.00		X	
M14600-350	5.748	0.138	146.00	3.50		X	
M14600-400	5.748	0.157	146.00	4.00		X	
M14600-500	5.748	0.197	146.00	5.00		X	
M14605-533	5.750	0.210	146.05	5.33			X
M14700-250	5.787	0.098	147.00	2.50		X	
M14700-300	5.787	0.118	147.00	3.00		X	
M14700-350	5.787	0.138	147.00	3.50		X	

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M14900-500	5.866	0.197	149.00	5.00			X			
M14910-840	5.870	0.331	149.10	8.40		X	X			
M14923-533	5.875	0.210	149.23	5.33			X			
M14930-570	5.878	0.224	149.30	5.70		X	X	X		
M14950-840	5.886	0.331	149.50	8.40					X	
M14960-570	5.890	0.224	149.60	5.70					X	
M15000-250	5.906	0.098	150.00	2.50			X			
M15000-265	5.906	0.104	150.00	2.65	X					
M15000-300	5.906	0.118	150.00	3.00			X			
M15000-350	5.906	0.138	150.00	3.50			X			
M15000-355	5.906	0.140	150.00	3.55	X					
M15000-400	5.906	0.157	150.00	4.00			X			
M15000-500	5.906	0.197	150.00	5.00			X			
M15000-530	5.906	0.209	150.00	5.30	X					
M15000-700	5.906	0.276	150.00	7.00	X					
M15100-300	5.945	0.118	151.00	3.00			X			
M15100-350	5.945	0.138	151.00	3.50			X			
M15100-400	5.945	0.157	151.00	4.00			X			
M15100-500	5.945	0.197	151.00	5.00			X			
2-361	5.975	0.210	151.77	5.33	X		X			
2-437	5.975	0.275	151.77	6.99	X		X	X		
M15200-300	5.984	0.118	152.00	3.00			X			
M15200-350	5.984	0.138	152.00	3.50			X			
2-258	5.984	0.139	151.99	3.53	X		X			
M15200-400	5.984	0.157	152.00	4.00			X			
M15200-500	5.984	0.197	152.00	5.00			X			
2-163	5.987	0.103	152.07	2.62	X		X			
M15300-300	6.024	0.118	153.00	3.00			X			
M15300-350	6.024	0.138	153.00	3.50			X			
M15300-400	6.024	0.157	153.00	4.00			X			
M15300-500	6.024	0.197	153.00	5.00			X			
M15400-300	6.063	0.118	154.00	3.00			X			
M15400-350	6.063	0.138	154.00	3.50			X			
M15400-400	6.063	0.157	154.00	4.00			X			
M15400-500	6.063	0.197	154.00	5.00			X			
M15410-840	6.067	0.331	154.10	8.40		X	X			
M15430-570	6.075	0.224	154.30	5.70		X	X	X		
M15450-840	6.083	0.331	154.50	8.40					X	
M15500-300	6.102	0.118	155.00	3.00			X			
M15500-350	6.102	0.138	155.00	3.50			X			
M15500-355	6.102	0.140	155.00	3.55	X					
M15500-400	6.102	0.157	155.00	4.00			X			
M15500-500	6.102	0.197	155.00	5.00			X			
M15500-530	6.102	0.209	155.00	5.30	X					
M15500-533	6.102	0.210	155.00	5.33			X			
M15500-700	6.102	0.276	155.00	7.00	X					
M15560-699	6.126	0.275	155.60	6.99			X			
M15600-300	6.142	0.118	156.00	3.00			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
2-164	6.237	0.103	158.42	2.62	X			X		
M15900-300	6.260	0.118	159.00	3.00			X			
M15900-350	6.260	0.138	159.00	3.50			X			
M15900-400	6.260	0.157	159.00	4.00			X			
M15900-500	6.260	0.197	159.00	5.00			X			
M15910-840	6.264	0.331	159.10	8.40		X	X			
M15930-570	6.272	0.224	159.30	5.70		X	X	X		
M15940-840	6.276	0.331	159.40	8.40					X	
M15950-699	6.280	0.275	159.50	6.99				X		
M16000-265	6.299	0.104	160.00	2.65	X					
M16000-300	6.299	0.118	160.00	3.00			X			
M16000-350	6.299	0.138	160.00	3.50			X			
M16000-355	6.299	0.140	160.00	3.55	X					
M16000-400	6.299	0.157	160.00	4.00			X			
M16000-500	6.299	0.197	160.00	5.00			X			
M16000-530	6.299	0.209	160.00	5.30	X					
M16000-700	6.299	0.276	160.00	7.00	X					
M16100-300	6.339	0.118	161.00	3.00			X			
M16100-350	6.339	0.138	161.00	3.50			X			
M16100-400	6.339	0.157	161.00	4.00			X			
M16100-500	6.339	0.197	161.00	5.00			X			
M16130-533	6.350	0.210	161.30	5.33				X		
M16190-699	6.374	0.275	161.90	6.99				X		
M16200-300	6.378	0.118	162.00	3.00			X			
M16200-350	6.378	0.138	162.00	3.50			X			
M16200-400	6.378	0.157	162.00	4.00			X			
M16200-500	6.378	0.197	162.00	5.00			X			
M16300-300	6.417	0.118	163.00	3.00			X			
M16300-350	6.417	0.138	163.00	3.50			X			
M16300-400	6.417	0.157	163.00	4.00			X			
M16300-500	6.417	0.197	163.00	5.00			X			
M16400-300	6.457	0.118	164.00	3.00			X			
M16400-350	6.457	0.138	164.00	3.50			X			
M16400-400	6.457	0.157	164.00	4.00			X			
M16400-500	6.457	0.197	164.00	5.00			X			
M16410-840	6.461	0.331	164.10	8.40		X	X			
M16430-570	6.469	0.224	164.30	5.70		X	X	X		
2-363	6.475	0.210	164.47	5.33	X		X			
2-439	6.475	0.275	164.47	6.99	X		X	X		
M16450-840	6.476	0.331	164.50	8.40					X	
2-260	6.484	0.139	164.69	3.53	X		X			
2-165	6.487	0.103	164.77	2.62	X		X			
M16500-300	6.496	0.118	165.00	3.00			X			
M16500-350	6.496	0.138	165.00	3.50			X			
M16500-355	6.496	0.140	165.00	3.55	X					
M16500-400	6.496	0.157	165.00	4.00			X			
M16500-500	6.496	0.197	165.00	5.00			X			
M16500-530	6.496	0.209	165.00	5.30	X					

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)					
					AS568A ISO	SWEDEN	CER-MARY	FRANCE	JAPAN
M16800-500	6.614	0.197	168.00	5.00		X			
M16830-699	6.626	0.275	168.30	6.99			X		
M16900-300	6.654	0.118	169.00	3.00		X			
M16900-350	6.654	0.138	169.00	3.50		X			
M16900-400	6.654	0.157	169.00	4.00		X			
M16900-500	6.654	0.197	169.00	5.00		X			
M16910-840	6.657	0.331	169.10	8.40		X	X		
M16930-570	6.665	0.224	169.30	5.70		X	X	X	
M16950-840	6.673	0.331	169.50	8.40					X
M17000-265	6.693	0.104	170.00	2.65	X				
M17000-300	6.693	0.118	170.00	3.00		X			
M17000-350	6.693	0.138	170.00	3.50		X			
M17000-355	6.693	0.140	170.00	3.55	X				
M17000-400	6.693	0.157	170.00	4.00		X			
M17000-500	6.693	0.197	170.00	5.00		X			
M17000-530	6.693	0.209	170.00	5.30	X				
M17000-700	6.693	0.276	170.00	7.00	X				
2-364	6.725	0.210	170.82	5.33	X		X		
2-440	6.725	0.275	170.82	6.99	X		X	X	
M17100-300	6.732	0.118	171.00	3.00		X			
M17100-350	6.732	0.138	171.00	3.50		X			
M17100-400	6.732	0.157	171.00	4.00		X			
M17100-500	6.732	0.197	171.00	5.00		X			
2-261	6.734	0.139	171.04	3.53	X		X		
2-166	6.737	0.103	171.12	2.62	X		X		
M17200-300	6.772	0.118	172.00	3.00		X			
M17200-350	6.772	0.138	172.00	3.50		X			
M17200-400	6.772	0.157	172.00	4.00		X			
M17200-500	6.772	0.197	172.00	5.00		X			
M17300-300	6.811	0.118	173.00	3.00		X			
M17300-350	6.811	0.138	173.00	3.50		X			
M17300-400	6.811	0.157	173.00	4.00		X			
M17300-500	6.811	0.197	173.00	5.00		X			
M17400-300	6.850	0.118	174.00	3.00		X			
M17400-350	6.850	0.138	174.00	3.50		X			
M17400-400	6.850	0.157	174.00	4.00		X			
M17400-500	6.850	0.197	174.00	5.00		X			
M17400-533	6.850	0.210	174.00	5.33			X		
M17410-840	6.854	0.331	174.10	8.40		X	X		
M17430-570	6.862	0.224	174.30	5.70		X	X	X	
M17450-840	6.870	0.331	174.50	8.40					X
M17460-699	6.874	0.275	174.60	6.99			X		
M17500-300	6.890	0.118	175.00	3.00		X			
M17500-350	6.890	0.138	175.00	3.50		X			
M17500-355	6.890	0.140	175.00	3.55	X				
M17500-400	6.890	0.157	175.00	4.00		X			
M17500-500	6.890	0.197	175.00	5.00		X			
M17500-700	6.890	0.276	175.00	7.00	X				

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)					
					AS568A ISO	SWEDEN	CER-MARY	FRANCE	JAPAN
M17800-400	7.008	0.157	178.00	4.00			X		
M17800-500	7.008	0.197	178.00	5.00			X		
M17900-300	7.047	0.118	179.00	3.00			X		
M17900-350	7.047	0.138	179.00	3.50			X		
M17900-400	7.047	0.157	179.00	4.00			X		
M17900-500	7.047	0.197	179.00	5.00			X		
M17910-840	7.051	0.331	179.10	8.40		X	X		
M17930-570	7.059	0.224	179.30	5.70		X	X	X	
M17950-840	7.067	0.331	179.50	8.40					X
M18000-265	7.087	0.104	180.00	2.65	X				
M18000-300	7.087	0.118	180.00	3.00			X		
M18000-350	7.087	0.138	180.00	3.50			X		
M18000-355	7.087	0.140	180.00	3.55	X				
M18000-400	7.087	0.157	180.00	4.00			X		
M18000-500	7.087	0.197	180.00	5.00			X		
M18000-530	7.087	0.209	180.00	5.30	X				
M18000-700	7.087	0.276	180.00	7.00	X				
M18100-300	7.126	0.118	181.00	3.00			X		
M18100-350	7.126	0.138	181.00	3.50			X		
M18100-400	7.126	0.157	181.00	4.00			X		
M18100-500	7.126	0.197	181.00	5.00			X		
M18100-699	7.126	0.275	181.00	6.99				X	
M18200-300	7.165	0.118	182.00	3.00			X		
M18200-350	7.165	0.138	182.00	3.50			X		
M18200-400	7.165	0.157	182.00	4.00			X		
M18200-500	7.165	0.197	182.00	5.00			X		
M18300-300	7.205	0.118	183.00	3.00			X		
M18300-350	7.205	0.138	183.00	3.50			X		
M18300-400	7.205	0.157	183.00	4.00			X		
M18300-500	7.205	0.197	183.00	5.00			X		
2-366	7.225	0.210	183.52	5.33	X		X		
2-442	7.225	0.275	183.52	6.99	X			X	X
2-263	7.234	0.139	183.74	3.53	X		X		
2-168	7.237	0.103	183.82	2.62	X		X		
M18400-300	7.244	0.118	184.00	3.00			X		
M18400-350	7.244	0.138	184.00	3.50			X		
M18400-400	7.244	0.157	184.00	4.00			X		
M18400-500	7.244	0.197	184.00	5.00			X		
M18410-840	7.248	0.331	184.10	8.40		X	X		
M18430-570	7.256	0.224	184.30	5.70		X	X	X	
M18450-840	7.264	0.331	184.50	8.40					X
M18500-300	7.283	0.118	185.00	3.00			X		
M18500-350	7.283	0.138	185.00	3.50			X		
M18500-355	7.283	0.140	185.00	3.55	X				
M18500-400	7.283	0.157	185.00	4.00			X		
M18500-500	7.283	0.197	185.00	5.00			X		
M18500-530	7.283	0.209	185.00	5.30	X				
M18500-700	7.283	0.276	185.00	7.00	X				

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M18900-350	7.441	0.138	189.00	3.50			X			
M18900-400	7.441	0.157	189.00	4.00			X			
M18900-500	7.441	0.197	189.00	5.00			X			
M18910-840	7.445	0.331	189.10	8.40		X	X			
M18930-570	7.453	0.224	189.30	5.70		X	X	X		
M18950-840	7.461	0.331	189.50	8.40						X
2-367	7.475	0.210	189.87	5.33	X		X			
2-443	7.475	0.275	189.87	6.99	X			X	X	
M19000-265	7.480	0.104	190.00	2.65	X					
M19000-300	7.480	0.118	190.00	3.00			X			
M19000-350	7.480	0.138	190.00	3.50			X			
M19000-355	7.480	0.140	190.00	3.55	X					
M19000-400	7.480	0.157	190.00	4.00			X			
M19000-500	7.480	0.197	190.00	5.00			X			
M19000-530	7.480	0.209	190.00	5.30	X					
M19000-700	7.480	0.276	190.00	7.00	X					
2-264	7.484	0.139	190.09	3.53	X		X			
2-169	7.487	0.103	190.17	2.62	X			X		
M19100-300	7.520	0.118	191.00	3.00			X			
M19100-350	7.520	0.138	191.00	3.50			X			
M19100-400	7.520	0.157	191.00	4.00			X			
M19100-500	7.520	0.197	191.00	5.00			X			
M19200-300	7.559	0.118	192.00	3.00			X			
M19200-350	7.559	0.138	192.00	3.50			X			
M19200-400	7.559	0.157	192.00	4.00			X			
M19200-500	7.559	0.197	192.00	5.00			X			
M19300-300	7.598	0.118	193.00	3.00			X			
M19300-350	7.598	0.138	193.00	3.50			X			
M19300-400	7.598	0.157	193.00	4.00			X			
M19300-500	7.598	0.197	193.00	5.00			X			
M19370-699	7.626	0.275	193.70	6.99				X		
M19400-300	7.638	0.118	194.00	3.00			X			
M19400-350	7.638	0.138	194.00	3.50			X			
M19400-400	7.638	0.157	194.00	4.00			X			
M19400-500	7.638	0.197	194.00	5.00			X			
M19410-840	7.642	0.331	194.10	8.40		X	X			
M19430-570	7.650	0.224	194.30	5.70		X	X	X		
M19450-840	7.657	0.331	194.50	8.40						X
M19500-300	7.677	0.118	195.00	3.00			X			
M19500-350	7.677	0.138	195.00	3.50			X			
M19500-355	7.677	0.140	195.00	3.55	X					
M19500-400	7.677	0.157	195.00	4.00			X			
M19500-500	7.677	0.197	195.00	5.00			X			
M19500-530	7.677	0.209	195.00	5.30	X					
M19500-700	7.677	0.276	195.00	7.00	X					
M19600-300	7.717	0.118	196.00	3.00			X			
M19600-350	7.717	0.138	196.00	3.50			X			
M19600-400	7.717	0.157	196.00	4.00			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M19900-350	7.835	0.138	199.00	3.50				X		
M19900-400	7.835	0.157	199.00	4.00				X		
M19900-500	7.835	0.197	199.00	5.00				X		
M19910-840	7.839	0.331	199.10	8.40		X	X			
M19930-570	7.846	0.224	199.30	5.70		X	X	X		
M19950-840	7.854	0.331	199.50	8.40						X
M20000-265	7.874	0.104	200.00	2.65	X					
M20000-300	7.874	0.118	200.00	3.00				X		
M20000-350	7.874	0.138	200.00	3.50				X		
M20000-355	7.874	0.140	200.00	3.55	X					
M20000-400	7.874	0.157	200.00	4.00				X		
M20000-500	7.874	0.197	200.00	5.00				X		
M20000-530	7.874	0.209	200.00	5.30	X					
M20000-699	7.874	0.275	200.00	6.99					X	
M20000-700	7.874	0.276	200.00	7.00	X					
M20100-300	7.913	0.118	201.00	3.00				X		
M20100-350	7.913	0.138	201.00	3.50				X		
M20100-400	7.913	0.157	201.00	4.00				X		
M20100-500	7.913	0.197	201.00	5.00				X		
M20200-300	7.953	0.118	202.00	3.00				X		
M20200-350	7.953	0.138	202.00	3.50				X		
M20200-400	7.953	0.157	202.00	4.00				X		
M20200-500	7.953	0.197	202.00	5.00				X		
2-369	7.975	0.210	202.57	5.33	X			X		
2-445	7.975	0.275	202.57	6.99	X			X	X	
2-266	7.984	0.139	202.79	3.53	X			X		
2-171	7.987	0.103	202.87	2.62	X			X		
M20300-300	7.992	0.118	203.00	3.00				X		
M20300-350	7.992	0.138	203.00	3.50				X		
M20300-400	7.992	0.157	203.00	4.00				X		
M20300-500	7.992	0.197	203.00	5.00				X		
M20400-300	8.031	0.118	204.00	3.00				X		
M20400-350	8.031	0.138	204.00	3.50				X		
M20400-400	8.031	0.157	204.00	4.00				X		
M20400-500	8.031	0.197	204.00	5.00				X		
M20430-570	8.043	0.224	204.30	5.70		X	X			
M20450-840	8.051	0.331	204.50	8.40						X
M20500-300	8.071	0.118	205.00	3.00				X		
M20500-350	8.071	0.138	205.00	3.50				X		
M20500-400	8.071	0.157	205.00	4.00				X		
M20500-500	8.071	0.197	205.00	5.00				X		
M20600-300	8.110	0.118	206.00	3.00				X		
M20600-350	8.110	0.138	206.00	3.50				X		
M20600-400	8.110	0.157	206.00	4.00				X		
M20600-500	8.110	0.197	206.00	5.00				X		
M20600-530	8.110	0.209	206.00	5.30	X					
M20600-700	8.110	0.276	206.00	7.00	X					
M20700-300	8.150	0.118	207.00	3.00				X		

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)					
					AS568A ISO	SWEDEN GER-MANRY	FRANCE	JAPAN	
M20910-840	8.232	0.331	209.10	8.40		X	X		
2-267	8.234	0.139	209.14	3.53	X		X		
2-172	8.237	0.103	209.22	2.62	X		X		
M20930-570	8.240	0.224	209.30	5.70		X	X	X	
M20950-840	8.248	0.331	209.50	8.40					X
M21000-300	8.268	0.118	210.00	3.00			X		
M21000-350	8.268	0.138	210.00	3.50			X		
M21000-400	8.268	0.157	210.00	4.00			X		
M21000-500	8.268	0.197	210.00	5.00			X		
M21100-300	8.307	0.118	211.00	3.00			X		
M21100-350	8.307	0.138	211.00	3.50			X		
M21100-400	8.307	0.157	211.00	4.00			X		
M21100-500	8.307	0.197	211.00	5.00			X		
M21200-265	8.346	0.104	212.00	2.65	X				
M21200-300	8.346	0.118	212.00	3.00			X		
M21200-350	8.346	0.138	212.00	3.50			X		
M21200-355	8.346	0.140	212.00	3.55	X				
M21200-400	8.346	0.157	212.00	4.00			X		
M21200-500	8.346	0.197	212.00	5.00			X		
M21200-530	8.346	0.209	212.00	5.30	X				
M21200-700	8.346	0.276	212.00	7.00	X				
M21300-300	8.386	0.118	213.00	3.00			X		
M21300-350	8.386	0.138	213.00	3.50			X		
M21300-400	8.386	0.157	213.00	4.00			X		
M21300-500	8.386	0.197	213.00	5.00			X		
M21400-300	8.425	0.118	214.00	3.00			X		
M21400-350	8.425	0.138	214.00	3.50			X		
M21400-400	8.425	0.157	214.00	4.00			X		
M21400-500	8.425	0.197	214.00	5.00			X		
M21450-840	8.445	0.331	214.50	8.40					X
M21500-300	8.465	0.118	215.00	3.00			X		
M21500-350	8.465	0.138	215.00	3.50			X		
M21500-400	8.465	0.157	215.00	4.00			X		
M21500-500	8.465	0.197	215.00	5.00			X		
2-371	8.475	0.210	215.27	5.33	X		X		
2-446	8.475	0.275	215.27	6.99	X		X	X	
2-268	8.484	0.139	215.49	3.53	X		X		
2-173	8.487	0.103	215.57	2.62	X		X		
M21600-300	8.504	0.118	216.00	3.00			X		
M21600-350	8.504	0.138	216.00	3.50			X		
M21600-400	8.504	0.157	216.00	4.00			X		
M21600-500	8.504	0.197	216.00	5.00			X		
M21700-300	8.543	0.118	217.00	3.00			X		
M21700-350	8.543	0.138	217.00	3.50			X		
M21700-400	8.543	0.157	217.00	4.00			X		
M21700-500	8.543	0.197	217.00	5.00			X		
M21800-300	8.583	0.118	218.00	3.00			X		
M21800-350	8.583	0.138	218.00	3.50			X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)					
					AS568A ISO	SWEDEN GER-MANRY	FRANCE	JAPAN	
M22000-500	8.661	0.197	220.00	5.00				X	
M22100-300	8.701	0.118	221.00	3.00				X	
M22100-350	8.701	0.138	221.00	3.50				X	
M22100-400	8.701	0.157	221.00	4.00				X	
M22100-500	8.701	0.197	221.00	5.00				X	
2-372	8.725	0.210	221.62	5.33	X			X	
M22162-699	8.725	0.275	221.62	6.99				X	
2-269	8.734	0.139	221.84	3.53	X			X	
2-174	8.737	0.103	221.92	2.62	X			X	
M22200-300	8.740	0.118	222.00	3.00				X	
M22200-350	8.740	0.138	222.00	3.50				X	
M22200-400	8.740	0.157	222.00	4.00				X	
M22200-500	8.740	0.197	222.00	5.00				X	
M22300-300	8.780	0.118	223.00	3.00				X	
M22300-350	8.780	0.138	223.00	3.50				X	
M22300-400	8.780	0.157	223.00	4.00				X	
M22300-500	8.780	0.197	223.00	5.00				X	
M22400-265	8.819	0.104	224.00	2.65		X			
M22400-300	8.819	0.118	224.00	3.00				X	
M22400-350	8.819	0.138	224.00	3.50				X	
M22400-355	8.819	0.140	224.00	3.55		X			
M22400-400	8.819	0.157	224.00	4.00				X	
M22400-500	8.819	0.197	224.00	5.00				X	
M22400-530	8.819	0.209	224.00	5.30		X			
M22400-700	8.819	0.276	224.00	7.00		X			
M22450-840	8.839	0.331	224.50	8.40					X
M22500-300	8.858	0.118	225.00	3.00				X	
M22500-350	8.858	0.138	225.00	3.50				X	
M22500-400	8.858	0.157	225.00	4.00				X	
M22500-500	8.858	0.197	225.00	5.00				X	
M22600-300	8.898	0.118	226.00	3.00				X	
M22600-350	8.898	0.138	226.00	3.50				X	
M22600-400	8.898	0.157	226.00	4.00				X	
M22600-500	8.898	0.197	226.00	5.00				X	
M22700-300	8.937	0.118	227.00	3.00				X	
M22700-350	8.937	0.138	227.00	3.50				X	
M22700-400	8.937	0.157	227.00	4.00				X	
M22700-500	8.937	0.197	227.00	5.00				X	
2-373	8.975	0.210	227.97	5.33	X			X	
2-447	8.975	0.275	227.97	6.99	X			X	X
M22800-300	8.976	0.118	228.00	3.00				X	
M22800-350	8.976	0.138	228.00	3.50				X	
M22800-400	8.976	0.157	228.00	4.00				X	
M22800-500	8.976	0.197	228.00	5.00				X	
2-270	8.984	0.139	228.19	3.53	X			X	
2-175	8.987	0.103	228.27	2.62	X			X	
M22900-300	9.016	0.118	229.00	3.00				X	
M22900-350	9.016	0.138	229.00	3.50				X	

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

O-Ring Comparison Chart

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M23100-500	9.094	0.197	231.00	5.00			X			
M23200-300	9.134	0.118	232.00	3.00			X			
M23200-350	9.134	0.138	232.00	3.50			X			
M23200-400	9.134	0.157	232.00	4.00			X			
M23200-500	9.134	0.197	232.00	5.00			X			
M23300-300	9.173	0.118	233.00	3.00			X			
M23300-350	9.173	0.138	233.00	3.50			X			
M23300-400	9.173	0.157	233.00	4.00			X			
M23300-500	9.173	0.197	233.00	5.00			X			
M23400-300	9.213	0.118	234.00	3.00			X			
M23400-350	9.213	0.138	234.00	3.50			X			
M23400-400	9.213	0.157	234.00	4.00			X			
M23400-500	9.213	0.197	234.00	5.00			X			
2-374	9.225	0.210	234.32	5.33	X			X		
M23432-699	9.225	0.275	234.32	6.99				X		
M23450-840	9.232	0.331	234.50	8.40						X
2-271	9.234	0.139	234.54	3.53	X			X		
2-176	9.237	0.103	234.62	2.62	X			X		
M23500-300	9.252	0.118	235.00	3.00			X			
M23500-350	9.252	0.138	235.00	3.50			X			
M23500-400	9.252	0.157	235.00	4.00			X			
M23500-500	9.252	0.197	235.00	5.00			X			
M23600-265	9.291	0.104	236.00	2.65	X					
M23600-300	9.291	0.118	236.00	3.00			X			
M23600-350	9.291	0.138	236.00	3.50			X			
M23600-355	9.291	0.140	236.00	3.55	X					
M23600-400	9.291	0.157	236.00	4.00			X			
M23600-500	9.291	0.197	236.00	5.00			X			
M23600-530	9.291	0.209	236.00	5.30	X					
M23600-700	9.291	0.276	236.00	7.00	X					
M23700-300	9.331	0.118	237.00	3.00			X			
M23700-350	9.331	0.138	237.00	3.50			X			
M23700-400	9.331	0.157	237.00	4.00			X			
M23700-500	9.331	0.197	237.00	5.00			X			
M23800-300	9.370	0.118	238.00	3.00			X			
M23800-350	9.370	0.138	238.00	3.50			X			
M23800-400	9.370	0.157	238.00	4.00			X			
M23800-500	9.370	0.197	238.00	5.00			X			
M23900-300	9.409	0.118	239.00	3.00			X			
M23900-350	9.409	0.138	239.00	3.50			X			
M23900-400	9.409	0.157	239.00	4.00			X			
M23900-500	9.409	0.197	239.00	5.00			X			
M23910-840	9.413	0.331	239.10	8.40		X	X			
M23930-570	9.421	0.224	239.30	5.70		X	X	X		
M23950-840	9.429	0.331	239.50	8.40						X
M24000-300	9.449	0.118	240.00	3.00			X			
M24000-350	9.449	0.138	240.00	3.50			X			
M24000-400	9.449	0.157	240.00	4.00			X			

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M24300-350	9.567	0.138	243.00	3.50			X			
M24300-400	9.567	0.157	243.00	4.00			X			
M24300-500	9.567	0.197	243.00	5.00			X			
M24300-530	9.567	0.209	243.00	5.30		X				
M24300-700	9.567	0.276	243.00	7.00		X				
M24400-300	9.606	0.118	244.00	3.00			X			
M24400-350	9.606	0.138	244.00	3.50			X			
M24400-400	9.606	0.157	244.00	4.00			X			
M24400-500	9.606	0.197	244.00	5.00			X			
M24450-840	9.626	0.331	244.50	8.40						X
M24500-300	9.646	0.118	245.00	3.00			X			
M24500-350	9.646	0.138	245.00	3.50			X			
M24500-400	9.646	0.157	245.00	4.00			X			
M24500-500	9.646	0.197	245.00	5.00			X			
M24600-300	9.685	0.118	246.00	3.00			X			
M24600-350	9.685	0.138	246.00	3.50			X			
M24600-400	9.685	0.157	246.00	4.00			X			
M24600-500	9.685	0.197	246.00	5.00			X			
M24700-300	9.724	0.118	247.00	3.00			X			
M24700-350	9.724	0.138	247.00	3.50			X			
M24700-400	9.724	0.157	247.00	4.00			X			
M24700-500	9.724	0.197	247.00	5.00			X			
M24700-699	9.724	0.275	247.00	6.99					X	
2-376	9.725	0.210	247.02	5.33	X			X		
2-273	9.734	0.139	247.24	3.53	X			X		
2-178	9.737	0.103	247.32	2.62	X			X		
M24800-300	9.764	0.118	248.00	3.00			X			
M24800-350	9.764	0.138	248.00	3.50			X			
M24800-400	9.764	0.157	248.00	4.00			X			
M24800-500	9.764	0.197	248.00	5.00			X			
M24900-300	9.803	0.118	249.00	3.00			X			
M24900-350	9.803	0.138	249.00	3.50			X			
M24900-400	9.803	0.157	249.00	4.00			X			
M24900-500	9.803	0.197	249.00	5.00			X			
M24910-840	9.807	0.331	249.10	8.40		X	X			
M24930-570	9.815	0.224	249.30	5.70		X	X	X		
M24950-840	9.823	0.331	249.50	8.40						X
M25000-265	9.843	0.104	250.00	2.65	X					
M25000-300	9.843	0.118	250.00	3.00			X			
M25000-350	9.843	0.138	250.00	3.50			X			
M25000-355	9.843	0.140	250.00	3.55	X					
M25000-400	9.843	0.157	250.00	4.00			X			
M25000-500	9.843	0.197	250.00	5.00			X			
M25000-530	9.843	0.209	250.00	5.30	X					
M25000-700	9.843	0.276	250.00	7.00	X					
M25100-350	9.882	0.138	251.00	3.50			X			
M25100-400	9.882	0.157	251.00	4.00			X			
M25100-500	9.882	0.197	251.00	5.00			X			

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)					
					AS568A ISO	SWEDEN	GER-METRY	FRANCE	JAPAN
M25500-400	10.039	0.157	255.00	4.00		X			
M25500-500	10.039	0.197	255.00	5.00			X		
M25600-350	10.079	0.138	256.00	3.50		X			
M25600-400	10.079	0.157	256.00	4.00			X		
M25600-500	10.079	0.197	256.00	5.00		X			
M25700-350	10.118	0.138	257.00	3.50			X		
M25700-400	10.118	0.157	257.00	4.00		X			
M25700-500	10.118	0.197	257.00	5.00			X		
M25800-350	10.157	0.138	258.00	3.50		X			
M25800-400	10.157	0.157	258.00	4.00			X		
M25800-500	10.157	0.197	258.00	5.00		X			
M25800-530	10.157	0.209	258.00	5.30	X				
M25800-700	10.157	0.276	258.00	7.00	X				
M25900-350	10.197	0.138	259.00	3.50			X		
M25900-400	10.197	0.157	259.00	4.00		X			
M25900-500	10.197	0.197	259.00	5.00			X		
M25930-570	10.209	0.224	259.30	5.70		X	X	X	
M25950-840	10.217	0.331	259.50	8.40					X
M25970-699	10.224	0.275	259.70	6.99			X		
M26000-350	10.236	0.138	260.00	3.50			X		
M26000-400	10.236	0.157	260.00	4.00		X			
M26000-500	10.236	0.197	260.00	5.00			X		
M26100-350	10.276	0.138	261.00	3.50		X			
M26100-400	10.276	0.157	261.00	4.00			X		
M26100-500	10.276	0.197	261.00	5.00		X			
M26200-350	10.315	0.138	262.00	3.50			X		
M26200-400	10.315	0.157	262.00	4.00		X			
M26200-500	10.315	0.197	262.00	5.00			X		
M26300-350	10.354	0.138	263.00	3.50		X			
M26300-400	10.354	0.157	263.00	4.00			X		
M26300-500	10.354	0.197	263.00	5.00		X			
M26400-350	10.394	0.138	264.00	3.50			X		
M26400-400	10.394	0.157	264.00	4.00		X			
M26400-500	10.394	0.197	264.00	5.00			X		
M26500-350	10.433	0.138	265.00	3.50		X			
M26500-355	10.433	0.140	265.00	3.55	X				
M26500-400	10.433	0.157	265.00	4.00		X			
M26500-500	10.433	0.197	265.00	5.00			X		
M26500-530	10.433	0.209	265.00	5.30	X				
M26500-700	10.433	0.276	265.00	7.00	X				
M26600-350	10.472	0.138	266.00	3.50		X			
M26600-400	10.472	0.157	266.00	4.00			X		
M26600-500	10.472	0.197	266.00	5.00		X			
2-378	10.475	0.210	266.07	5.33	X		X		
2-450	10.475	0.275	266.07	6.99	X		X	X	
2-275	10.484	0.139	266.29	3.53	X		X		
M26700-350	10.512	0.138	267.00	3.50		X			
M26700-400	10.512	0.157	267.00	4.00			X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)					
					AS568A ISO	SWEDEN	GER-METRY	FRANCE	JAPAN
M27100-500	10.669	0.197	271.00	5.00			X		
M27200-350	10.709	0.138	272.00	3.50			X		
M27200-400	10.709	0.157	272.00	4.00			X		
M27200-500	10.709	0.197	272.00	5.00			X		
M27200-530	10.709	0.209	272.00	5.30	X				
M27200-700	10.709	0.276	272.00	7.00	X				
M27240-699	10.724	0.275	272.40	6.99				X	
M27300-350	10.748	0.138	273.00	3.50			X		
M27300-400	10.748	0.157	273.00	4.00			X		
M27300-500	10.748	0.197	273.00	5.00			X		
M27400-350	10.787	0.138	274.00	3.50			X		
M27400-400	10.787	0.157	274.00	4.00			X		
M27400-500	10.787	0.197	274.00	5.00			X		
M27450-840	10.807	0.331	274.50	8.40					X
M27500-350	10.827	0.138	275.00	3.50			X		
M27500-400	10.827	0.157	275.00	4.00			X		
M27500-500	10.827	0.197	275.00	5.00			X		
M27600-350	10.866	0.138	276.00	3.50			X		
M27600-400	10.866	0.157	276.00	4.00			X		
M27600-500	10.866	0.197	276.00	5.00			X		
M27700-350	10.906	0.138	277.00	3.50			X		
M27700-400	10.906	0.157	277.00	4.00			X		
M27700-500	10.906	0.197	277.00	5.00			X		
M27800-350	10.945	0.138	278.00	3.50			X		
M27800-400	10.945	0.157	278.00	4.00			X		
M27800-500	10.945	0.197	278.00	5.00			X		
2-379	10.975	0.210	278.77	5.33	X			X	
2-451	10.975	0.275	278.77	6.99	X			X	X
M27900-350	10.984	0.138	279.00	3.50			X		
2-276	10.984	0.139	278.99	3.53	X			X	
M27900-400	10.984	0.157	279.00	4.00			X		
M27900-500	10.984	0.197	279.00	5.00			X		
M27930-570	10.996	0.224	279.30	5.70		X	X	X	
M27950-840	11.004	0.331	279.50	8.40					X
M28000-350	11.024	0.138	280.00	3.50			X		
M28000-355	11.024	0.140	280.00	3.55	X				
M28000-400	11.024	0.157	280.00	4.00			X		
M28000-500	11.024	0.197	280.00	5.00			X		
M28000-530	11.024	0.209	280.00	5.30	X				
M28000-700	11.024	0.276	280.00	7.00	X				
M28100-350	11.063	0.138	281.00	3.50			X		
M28100-400	11.063	0.157	281.00	4.00			X		
M28100-500	11.063	0.197	281.00	5.00			X		
M28200-350	11.102	0.138	282.00	3.50			X		
M28200-400	11.102	0.157	282.00	4.00			X		
M28200-500	11.102	0.197	282.00	5.00			X		
M28300-350	11.142	0.138	283.00	3.50			X		
M28300-400	11.142	0.157	283.00	4.00			X		

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M28700-500	11.299	0.197	287.00	5.00			X			
M28800-350	11.339	0.138	288.00	3.50			X			
M28800-400	11.339	0.157	288.00	4.00			X			
M28800-500	11.339	0.197	288.00	5.00			X			
M28900-350	11.378	0.138	289.00	3.50			X			
M28900-400	11.378	0.157	289.00	4.00			X			
M28900-500	11.378	0.197	289.00	5.00			X			
M28930-570	11.390	0.224	289.30	5.70		X	X	X		
M28950-840	11.398	0.331	289.50	8.40						X
M29000-350	11.417	0.138	290.00	3.50			X			
M29000-400	11.417	0.157	290.00	4.00			X			
M29000-500	11.417	0.197	290.00	5.00			X			
M29000-530	11.417	0.209	290.00	5.30		X				
M29000-700	11.417	0.276	290.00	7.00		X				
M29100-350	11.457	0.138	291.00	3.50			X			
M29100-400	11.457	0.157	291.00	4.00			X			
M29100-500	11.457	0.197	291.00	5.00			X			
2-380	11.475	0.210	291.47	5.33	X		X			
2-452	11.475	0.275	291.47	6.99	X		X	X		
2-277	11.484	0.139	291.69	3.53	X		X			
M29200-350	11.496	0.138	292.00	3.50			X			
M29200-400	11.496	0.157	292.00	4.00			X			
M29200-500	11.496	0.197	292.00	5.00			X			
M29300-350	11.535	0.138	293.00	3.50			X			
M29300-400	11.535	0.157	293.00	4.00			X			
M29300-500	11.535	0.197	293.00	5.00			X			
M29400-350	11.575	0.138	294.00	3.50			X			
M29400-400	11.575	0.157	294.00	4.00			X			
M29400-500	11.575	0.197	294.00	5.00			X			
M29450-840	11.594	0.331	294.50	8.40						X
M29500-350	11.614	0.138	295.00	3.50			X			
M29500-400	11.614	0.157	295.00	4.00			X			
M29500-500	11.614	0.197	295.00	5.00			X			
M29600-350	11.654	0.138	296.00	3.50			X			
M29600-400	11.654	0.157	296.00	4.00			X			
M29600-500	11.654	0.197	296.00	5.00			X			
M29700-350	11.693	0.138	297.00	3.50			X			
M29700-400	11.693	0.157	297.00	4.00			X			
M29700-500	11.693	0.197	297.00	5.00			X			
M29780-699	11.724	0.275	297.80	6.99				X		
M29800-350	11.732	0.138	298.00	3.50			X			
M29800-400	11.732	0.157	298.00	4.00			X			
M29800-500	11.732	0.197	298.00	5.00			X			
M29900-350	11.772	0.138	299.00	3.50			X			
M29900-400	11.772	0.157	299.00	4.00			X			
M29900-500	11.772	0.197	299.00	5.00			X			
M29930-570	11.783	0.224	299.30	5.70		X	X	X		
M29950-840	11.791	0.331	299.50	8.40						X

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRANCE	JAPAN
M30300-500	11.929	0.197	303.00	5.00				X		
M30400-350	11.969	0.138	304.00	3.50				X		
M30400-400	11.969	0.157	304.00	4.00				X		
M30400-500	11.969	0.197	304.00	5.00				X		
2-381	11.975	0.210	304.17	5.33	X				X	
2-453	11.975	0.275	304.17	6.99	X				X	X
2-278	11.984	0.139	304.39	3.53	X				X	
M30500-350	12.008	0.138	305.00	3.50				X		
M30500-400	12.008	0.157	305.00	4.00				X		
M30500-500	12.008	0.197	305.00	5.00				X		
M30600-350	12.047	0.138	306.00	3.50				X		
M30600-400	12.047	0.157	306.00	4.00				X		
M30600-500	12.047	0.197	306.00	5.00				X		
M30700-350	12.087	0.138	307.00	3.50				X		
M30700-400	12.087	0.157	307.00	4.00				X		
M30700-500	12.087	0.197	307.00	5.00				X		
M30700-530	12.087	0.209	307.00	5.30		X				
M30700-700	12.087	0.276	307.00	7.00		X				
M30800-350	12.126	0.138	308.00	3.50				X		
M30800-400	12.126	0.157	308.00	4.00				X		
M30800-500	12.126	0.197	308.00	5.00				X		
M30900-350	12.165	0.138	309.00	3.50				X		
M30900-400	12.165	0.157	309.00	4.00				X		
M30900-500	12.165	0.197	309.00	5.00				X		
M31000-350	12.205	0.138	310.00	3.50				X		
M31000-400	12.205	0.157	310.00	4.00				X		
M31000-500	12.205	0.197	310.00	5.00				X		
M31050-699	12.224	0.275	310.50	6.99					X	
M31100-350	12.244	0.138	311.00	3.50				X		
M31100-400	12.244	0.157	311.00	4.00				X		
M31100-500	12.244	0.197	311.00	5.00				X		
M31200-350	12.283	0.138	312.00	3.50				X		
M31200-400	12.283	0.157	312.00	4.00				X		
M31200-500	12.283	0.197	312.00	5.00				X		
M31300-350	12.323	0.138	313.00	3.50				X		
M31300-400	12.323	0.157	313.00	4.00				X		
M31300-500	12.323	0.197	313.00	5.00				X		
M31400-350	12.362	0.138	314.00	3.50				X		
M31400-400	12.362	0.157	314.00	4.00				X		
M31400-500	12.362	0.197	314.00	5.00				X		
M31450-840	12.382	0.331	314.50	8.40						X
M31500-350	12.402	0.138	315.00	3.50				X		
M31500-355	12.402	0.140	315.00	3.55		X				
M31500-400	12.402	0.157	315.00	4.00				X		
M31500-500	12.402	0.197	315.00	5.00				X		
M31500-530	12.402	0.209	315.00	5.30		X				
M31500-700	12.402	0.276	315.00	7.00		X				
M31600-350	12.441	0.138	316.00	3.50				X		

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GER-MARK	FRANCE	JAPAN
M32000-350	12.598	0.138	320.00	3.50			X		
M32000-400	12.598	0.157	320.00	4.00			X		
M32000-500	12.598	0.197	320.00	5.00			X		
M32100-350	12.638	0.138	321.00	3.50			X		
M32100-400	12.638	0.157	321.00	4.00			X		
M32100-500	12.638	0.197	321.00	5.00			X		
M32200-350	12.677	0.138	322.00	3.50			X		
M32200-400	12.677	0.157	322.00	4.00			X		
M32200-500	12.677	0.197	322.00	5.00			X		
M32300-350	12.717	0.138	323.00	3.50			X		
M32300-400	12.717	0.157	323.00	4.00			X		
M32300-500	12.717	0.197	323.00	5.00			X		
M32320-699	12.724	0.275	323.20	6.99				X	
M32400-350	12.756	0.138	324.00	3.50			X		
M32400-400	12.756	0.157	324.00	4.00			X		
M32400-500	12.756	0.197	324.00	5.00			X		
M32500-350	12.795	0.138	325.00	3.50			X		
M32500-400	12.795	0.157	325.00	4.00			X		
M32500-500	12.795	0.197	325.00	5.00			X		
M32500-530	12.795	0.209	325.00	5.30	X				
M32500-700	12.795	0.276	325.00	7.00	X				
M32600-350	12.835	0.138	326.00	3.50			X		
M32600-400	12.835	0.157	326.00	4.00			X		
M32600-500	12.835	0.197	326.00	5.00			X		
M32700-350	12.874	0.138	327.00	3.50			X		
M32700-400	12.874	0.157	327.00	4.00			X		
M32700-500	12.874	0.197	327.00	5.00			X		
M32800-350	12.913	0.138	328.00	3.50			X		
M32800-400	12.913	0.157	328.00	4.00			X		
M32800-500	12.913	0.197	328.00	5.00			X		
M32900-350	12.953	0.138	329.00	3.50			X		
M32900-400	12.953	0.157	329.00	4.00			X		
M32900-500	12.953	0.197	329.00	5.00			X		
2-382	12.975	0.210	329.57	5.33	X		X		
2-455	12.975	0.275	329.57	6.99	X		X	X	
2-279	12.984	0.139	329.79	3.53	X		X		
M33000-350	12.992	0.138	330.00	3.50			X		
M33000-400	12.992	0.157	330.00	4.00			X		
M33000-500	12.992	0.197	330.00	5.00			X		
M33100-350	13.031	0.138	331.00	3.50			X		
M33100-400	13.031	0.157	331.00	4.00			X		
M33100-500	13.031	0.197	331.00	5.00			X		
M33200-350	13.071	0.138	332.00	3.50			X		
M33200-400	13.071	0.157	332.00	4.00			X		
M33200-500	13.071	0.197	332.00	5.00			X		
M33300-350	13.110	0.138	333.00	3.50			X		
M33300-400	13.110	0.157	333.00	4.00			X		
M33300-500	13.110	0.197	333.00	5.00			X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GER-MARK	FRANCE	JAPAN
M33700-400	13.268	0.157	337.00	4.00			X		
M33700-500	13.268	0.197	337.00	5.00			X		
M33800-350	13.307	0.138	338.00	3.50			X		
M33800-400	13.307	0.157	338.00	4.00			X		
M33800-500	13.307	0.197	338.00	5.00			X		
M33900-350	13.346	0.138	339.00	3.50			X		
M33900-400	13.346	0.157	339.00	4.00			X		
M33900-500	13.346	0.197	339.00	5.00			X		
M33930-570	13.358	0.224	339.30	5.70		X	X		
M33950-840	13.366	0.331	339.50	8.40					X
M34000-350	13.386	0.138	340.00	3.50			X		
M34000-500	13.386	0.197	340.00	5.00			X		
M34100-350	13.425	0.138	341.00	3.50			X		
M34100-400	13.425	0.157	341.00	4.00			X		
M34100-500	13.425	0.197	341.00	5.00			X		
M34200-350	13.465	0.138	342.00	3.50			X		
M34200-400	13.465	0.157	342.00	4.00			X		
M34200-500	13.465	0.197	342.00	5.00			X		
2-456	13.475	0.275	342.27	6.99	X		X	X	
M34300-350	13.504	0.138	343.00	3.50			X		
M34300-400	13.504	0.157	343.00	4.00			X		
M34300-500	13.504	0.197	343.00	5.00			X		
M34400-350	13.543	0.138	344.00	3.50			X		
M34400-400	13.543	0.157	344.00	4.00			X		
M34400-500	13.543	0.197	344.00	5.00			X		
M34500-350	13.583	0.138	345.00	3.50			X		
M34500-400	13.583	0.157	345.00	4.00			X		
M34500-500	13.583	0.197	345.00	5.00			X		
M34500-530	13.583	0.209	345.00	5.30		X			
M34500-700	13.583	0.276	345.00	7.00		X			
M34600-350	13.622	0.138	346.00	3.50			X		
M34600-400	13.622	0.157	346.00	4.00			X		
M34600-500	13.622	0.197	346.00	5.00			X		
M34700-350	13.661	0.138	347.00	3.50			X		
M34700-400	13.661	0.157	347.00	4.00			X		
M34700-500	13.661	0.197	347.00	5.00			X		
M34800-350	13.701	0.138	348.00	3.50			X		
M34800-400	13.701	0.157	348.00	4.00			X		
M34800-500	13.701	0.197	348.00	5.00			X		
M34900-350	13.740	0.138	349.00	3.50			X		
M34900-400	13.740	0.157	349.00	4.00			X		
M34900-500	13.740	0.197	349.00	5.00			X		
M35000-350	13.780	0.138	350.00	3.50			X		
M35000-400	13.780	0.157	350.00	4.00			X		
M35000-500	13.780	0.197	350.00	5.00			X		
M35100-350	13.819	0.138	351.00	3.50			X		
M35100-400	13.819	0.157	351.00	4.00			X		
M35100-500	13.819	0.197	351.00	5.00			X		

O-Ring Comparison Chart



O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRY-	FRANCE	JAPAN
M35500-400	13.976	0.157	355.00	4.00			X				
M35500-500	13.976	0.197	355.00	5.00			X				
M35500-530	13.976	0.209	355.00	5.30	X						
M35500-700	13.976	0.276	355.00	7.00	X						
2-280	13.984	0.139	355.19	3.53	X		X				
M35600-350	14.016	0.138	356.00	3.50			X				
M35600-400	14.016	0.157	356.00	4.00			X				
M35600-500	14.016	0.197	356.00	5.00			X				
M35700-350	14.055	0.138	357.00	3.50			X				
M35700-400	14.055	0.157	357.00	4.00			X				
M35700-500	14.055	0.197	357.00	5.00			X				
M35800-350	14.094	0.138	358.00	3.50			X				
M35800-400	14.094	0.157	358.00	4.00			X				
M35800-500	14.094	0.197	358.00	5.00			X				
M35900-350	14.134	0.138	359.00	3.50			X				
M35900-400	14.134	0.157	359.00	4.00			X				
M35900-500	14.134	0.197	359.00	5.00			X				
M35930-570	14.146	0.224	359.30	5.70		X	X				
M35950-840	14.154	0.331	359.50	8.40						X	
M36000-350	14.173	0.138	360.00	3.50			X				
M36000-400	14.173	0.157	360.00	4.00			X				
M36000-500	14.173	0.197	360.00	5.00			X				
M36100-350	14.213	0.138	361.00	3.50			X				
M36100-400	14.213	0.157	361.00	4.00			X				
M36100-500	14.213	0.197	361.00	5.00			X				
M36200-350	14.252	0.138	362.00	3.50			X				
M36200-400	14.252	0.157	362.00	4.00			X				
M36200-500	14.252	0.197	362.00	5.00			X				
M36300-350	14.291	0.138	363.00	3.50			X				
M36300-400	14.291	0.157	363.00	4.00			X				
M36300-500	14.291	0.197	363.00	5.00			X				
M36400-350	14.331	0.138	364.00	3.50			X				
M36400-400	14.331	0.157	364.00	4.00			X				
M36400-500	14.331	0.197	364.00	5.00			X				
M36500-350	14.370	0.138	365.00	3.50			X				
M36500-400	14.370	0.157	365.00	4.00			X				
M36500-500	14.370	0.197	365.00	5.00			X				
M36500-530	14.370	0.209	365.00	5.30	X						
M36500-700	14.370	0.276	365.00	7.00	X						
M36600-350	14.409	0.138	366.00	3.50			X				
M36600-400	14.409	0.157	366.00	4.00			X				
M36600-500	14.409	0.197	366.00	5.00			X				
M36700-350	14.449	0.138	367.00	3.50			X				
M36700-400	14.449	0.157	367.00	4.00			X				
M36700-500	14.449	0.197	367.00	5.00			X				
2-458	14.475	0.275	367.67	6.99	X		X	X			
M36800-350	14.488	0.138	368.00	3.50			X				
M36800-400	14.488	0.157	368.00	4.00			X				

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	FRY-	FRANCE	JAPAN
M37300-400	14.685	0.157	373.00	4.00			X				
M37300-500	14.685	0.197	373.00	5.00			X				
M37400-350	14.724	0.138	374.00	3.50			X				
M37400-400	14.724	0.157	374.00	4.00			X				
M37400-500	14.724	0.197	374.00	5.00			X				
M37450-840	14.744	0.331	374.50	8.40							X
M37500-350	14.764	0.138	375.00	3.50			X				
M37500-400	14.764	0.157	375.00	4.00			X				
M37500-500	14.764	0.197	375.00	5.00			X				
M37500-530	14.764	0.209	375.00	5.30	X						
M37500-700	14.764	0.276	375.00	7.00	X						
M37600-350	14.803	0.138	376.00	3.50			X				
M37600-400	14.803	0.157	376.00	4.00			X				
M37600-500	14.803	0.197	376.00	5.00			X				
M37700-350	14.843	0.138	377.00	3.50			X				
M37700-400	14.843	0.157	377.00	4.00			X				
M37700-500	14.843	0.197	377.00	5.00			X				
M37800-350	14.882	0.138	378.00	3.50			X				
M37800-400	14.882	0.157	378.00	4.00			X				
M37800-500	14.882	0.197	378.00	5.00			X				
M37900-350	14.921	0.138	379.00	3.50			X				
M37900-400	14.921	0.157	379.00	4.00			X				
M37900-500	14.921	0.197	379.00	5.00			X				
M37930-570	14.933	0.224	379.30	5.70		X	X				
M38000-350	14.961	0.138	380.00	3.50			X				
M38000-400	14.961	0.157	380.00	4.00			X				
M38000-500	14.961	0.197	380.00	5.00			X				
2-384	14.975	0.210	380.37	5.33	X			X			
2-459	14.975	0.275	380.37	6.99	X			X	X		
2-281	14.984	0.139	380.59	3.53	X			X			
M38100-350	15.000	0.138	381.00	3.50			X				
M38100-400	15.000	0.157	381.00	4.00			X				
M38100-500	15.000	0.197	381.00	5.00			X				
M38200-350	15.039	0.138	382.00	3.50			X				
M38200-400	15.039	0.157	382.00	4.00			X				
M38200-500	15.039	0.197	382.00	5.00			X				
M38300-350	15.079	0.138	383.00	3.50			X				
M38300-400	15.079	0.157	383.00	4.00			X				
M38300-500	15.079	0.197	383.00	5.00			X				
M38400-350	15.118	0.138	384.00	3.50			X				
M38400-400	15.118	0.157	384.00	4.00			X				
M38400-500	15.118	0.197	384.00	5.00			X				
M38450-840	15.138	0.331	384.50	8.40							X
M38500-350	15.157	0.138	385.00	3.50			X				
M38500-400	15.157	0.157	385.00	4.00			X				
M38500-500	15.157	0.197	385.00	5.00			X				
M38600-350	15.197	0.138	386.00	3.50			X				
M38600-400	15.197	0.157	386.00	4.00			X				

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GER-MARY	FRANCE	JAPAN
M39000-500	15.354	0.197	390.00	5.00			X		
M39100-350	15.394	0.138	391.00	3.50			X		
M39100-400	15.394	0.157	391.00	4.00			X		
M39100-500	15.394	0.197	391.00	5.00			X		
M39200-350	15.433	0.138	392.00	3.50			X		
M39200-400	15.433	0.157	392.00	4.00			X		
M39200-500	15.433	0.197	392.00	5.00			X		
M39300-350	15.472	0.138	393.00	3.50			X		
M39300-400	15.472	0.157	393.00	4.00			X		
M39300-500	15.472	0.197	393.00	5.00			X		
2-460	15.475	0.275	393.07	6.99	X		X	X	
M39400-350	15.512	0.138	394.00	3.50			X		
M39400-400	15.512	0.157	394.00	4.00			X		
M39400-500	15.512	0.197	394.00	5.00			X		
M39450-840	15.531	0.331	394.50	8.40					X
M39500-350	15.551	0.138	395.00	3.50			X		
M39500-400	15.551	0.157	395.00	4.00			X		
M39500-500	15.551	0.197	395.00	5.00			X		
M39600-350	15.591	0.138	396.00	3.50			X		
M39600-400	15.591	0.157	396.00	4.00			X		
M39600-500	15.591	0.197	396.00	5.00			X		
M39700-350	15.630	0.138	397.00	3.50			X		
M39700-400	15.630	0.157	397.00	4.00			X		
M39700-500	15.630	0.197	397.00	5.00			X		
M39800-350	15.669	0.138	398.00	3.50			X		
M39800-400	15.669	0.157	398.00	4.00			X		
M39800-500	15.669	0.197	398.00	5.00			X		
M39900-350	15.709	0.138	399.00	3.50			X		
M39900-400	15.709	0.157	399.00	4.00			X		
M39930-570	15.720	0.224	399.30	5.70		X	X		
M39950-840	15.728	0.331	399.50	8.40					X
M40000-350	15.748	0.138	400.00	3.50			X		
M40000-400	15.748	0.157	400.00	4.00			X		
M40000-530	15.748	0.209	400.00	5.30	X				
M40000-700	15.748	0.276	400.00	7.00	X				
M40100-350	15.787	0.138	401.00	3.50			X		
M40100-400	15.787	0.157	401.00	4.00			X		
M40200-350	15.827	0.138	402.00	3.50			X		
M40200-400	15.827	0.157	402.00	4.00			X		
M40300-350	15.866	0.138	403.00	3.50			X		
M40300-400	15.866	0.157	403.00	4.00			X		
M40400-350	15.906	0.138	404.00	3.50			X		
M40400-400	15.906	0.157	404.00	4.00			X		
M40500-350	15.945	0.138	405.00	3.50			X		
M40500-400	15.945	0.157	405.00	4.00			X		
2-282	15.955	0.139	405.26	3.53	X		X		
2-385	15.955	0.210	405.26	5.33	X		X		
2-461	15.955	0.275	405.26	6.99	X		X		

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GER-MARY	FRANCE	JAPAN
M41200-700	16.220	0.276	412.00	7.00		X			
M41300-350	16.260	0.138	413.00	3.50			X		
M41300-400	16.260	0.157	413.00	4.00			X		
M41400-350	16.299	0.138	414.00	3.50			X		
M41400-400	16.299	0.157	414.00	4.00			X		
M41500-350	16.339	0.138	415.00	3.50			X		
M41500-400	16.339	0.157	415.00	4.00			X		
M41600-350	16.378	0.138	416.00	3.50			X		
M41600-400	16.378	0.157	416.00	4.00			X		
M41700-350	16.417	0.138	417.00	3.50			X		
M41700-400	16.417	0.157	417.00	4.00			X		
2-462	16.455	0.275	417.96	6.99	X			X	
M41800-350	16.457	0.138	418.00	3.50			X		
M41800-400	16.457	0.157	418.00	4.00			X		
M41900-350	16.496	0.138	419.00	3.50			X		
M41900-400	16.496	0.157	419.00	4.00			X		
M41930-570	16.508	0.224	419.30	5.70		X	X		
M42000-350	16.535	0.138	420.00	3.50			X		
M42000-400	16.535	0.157	420.00	4.00			X		
M42100-350	16.575	0.138	421.00	3.50			X		
M42100-400	16.575	0.157	421.00	4.00			X		
M42200-350	16.614	0.138	422.00	3.50			X		
M42200-400	16.614	0.157	422.00	4.00			X		
M42300-350	16.654	0.138	423.00	3.50			X		
M42300-400	16.654	0.157	423.00	4.00			X		
M42400-350	16.693	0.138	424.00	3.50			X		
M42400-400	16.693	0.157	424.00	4.00			X		
M42500-350	16.732	0.138	425.00	3.50			X		
M42500-400	16.732	0.157	425.00	4.00			X		
M42600-350	16.772	0.138	426.00	3.50			X		
M42600-400	16.772	0.157	426.00	4.00			X		
M42700-350	16.811	0.138	427.00	3.50			X		
M42700-400	16.811	0.157	427.00	4.00			X		
M42800-350	16.850	0.138	428.00	3.50			X		
M42800-400	16.850	0.157	428.00	4.00			X		
M42900-350	16.890	0.138	429.00	3.50			X		
M42900-400	16.890	0.157	429.00	4.00			X		
M43000-350	16.929	0.138	430.00	3.50			X		
M43000-400	16.929	0.157	430.00	4.00			X		
2-283	16.955	0.139	430.66	3.53	X			X	
2-386	16.955	0.210	430.66	5.33	X			X	
2-463	16.955	0.275	430.66	6.99	X			X	
M43100-350	16.969	0.138	431.00	3.50			X		
M43100-400	16.969	0.157	431.00	4.00			X		
M43200-350	17.008	0.138	432.00	3.50			X		
M43200-400	17.008	0.157	432.00	4.00			X		
M43300-350	17.047	0.138	433.00	3.50			X		
M43300-400	17.047	0.157	433.00	4.00			X		

O-Ring Comparison Chart

O-Ring Standard Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	METRY	FRANCE	JAPAN
M44000-350	17.323	0.138	440.00	3.50			X				
M44000-400	17.323	0.157	440.00	4.00			X				
M44100-400	17.362	0.157	441.00	4.00			X				
M44200-400	17.402	0.157	442.00	4.00			X				
M44300-400	17.441	0.157	443.00	4.00			X				
2-464	17.455	0.275	443.36	6.99	X			X			
M44400-400	17.480	0.157	444.00	4.00			X				
M44500-400	17.520	0.157	445.00	4.00			X				
M44600-400	17.559	0.157	446.00	4.00			X				
M44700-400	17.598	0.157	447.00	4.00			X				
M44800-400	17.638	0.157	448.00	4.00			X				
M44900-400	17.677	0.157	449.00	4.00			X				
M45000-400	17.717	0.157	450.00	4.00			X				
M45000-700	17.717	0.276	450.00	7.00	X						
M45100-400	17.756	0.157	451.00	4.00			X				
M45200-400	17.795	0.157	452.00	4.00			X				
M45300-400	17.835	0.157	453.00	4.00			X				
M45400-400	17.874	0.157	454.00	4.00			X				
M45500-400	17.913	0.157	455.00	4.00			X				
M45600-400	17.953	0.157	456.00	4.00			X				
2-284	17.955	0.139	456.06	3.53	X			X			
2-387	17.955	0.210	456.06	5.33	X			X			
2-465	17.955	0.275	456.06	6.99	X			X			
M45700-400	17.992	0.157	457.00	4.00			X				
M45800-400	18.031	0.157	458.00	4.00			X				
M45900-400	18.071	0.157	459.00	4.00			X				
M45930-570	18.083	0.224	459.30	5.70		X	X				
M46000-400	18.110	0.157	460.00	4.00			X				
M46100-400	18.150	0.157	461.00	4.00			X				
M46200-400	18.189	0.157	462.00	4.00			X				
M46200-700	18.189	0.276	462.00	7.00	X						
M46300-400	18.228	0.157	463.00	4.00			X				
M46400-400	18.268	0.157	464.00	4.00			X				
M46500-400	18.307	0.157	465.00	4.00			X				
M46600-400	18.346	0.157	466.00	4.00			X				
M46700-400	18.386	0.157	467.00	4.00			X				
M46800-400	18.425	0.157	468.00	4.00			X				
2-466	18.455	0.275	468.76	6.99	X			X			
M46900-400	18.465	0.157	469.00	4.00			X				
M47000-400	18.504	0.157	470.00	4.00			X				
M47100-400	18.543	0.157	471.00	4.00			X				
M47200-400	18.583	0.157	472.00	4.00			X				
M47300-400	18.622	0.157	473.00	4.00			X				
M47400-400	18.661	0.157	474.00	4.00			X				
M47500-700	18.701	0.276	475.00	7.00	X						
M47700-400	18.780	0.157	477.00	4.00			X				
M47800-400	18.819	0.157	478.00	4.00			X				
M47900-400	18.858	0.157	479.00	4.00			X				

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A	ISO	SWEDEN	GER-	METRY	FRANCE	JAPAN
M48100-400	18.937	0.157	481.00	4.00			X				
2-388	18.955	0.210	481.46	5.33	X			X			
2-467	18.955	0.275	481.46	6.99	X			X			
M48200-400	18.976	0.157	482.00	4.00			X				
M48300-400	19.016	0.157	483.00	4.00			X				
M48400-400	19.055	0.157	484.00	4.00			X				
M48500-400	19.094	0.157	485.00	4.00			X				
M48600-400	19.134	0.157	486.00	4.00			X				
M48700-400	19.173	0.157	487.00	4.00			X				
M48700-700	19.173	0.276	487.00	7.00	X						
M48800-400	19.213	0.157	488.00	4.00			X				
M48900-400	19.252	0.157	489.00	4.00			X				
M49000-400	19.291	0.157	490.00	4.00			X				
M49100-400	19.331	0.157	491.00	4.00			X				
M49200-400	19.370	0.157	492.00	4.00			X				
M49300-400	19.409	0.157	493.00	4.00			X				
M49400-400	19.449	0.157	494.00	4.00			X				
2-468	19.455	0.275	494.16	6.99	X			X			
M49500-400	19.488	0.157	495.00	4.00			X				
M49600-400	19.528	0.157	496.00	4.00			X				
M49700-400	19.567	0.157	497.00	4.00			X				
M49800-400	19.606	0.157	498.00	4.00			X				
M49900-400	19.646	0.157	499.00	4.00			X				
M49930-570	19.657	0.224	499.30	5.70		X	X				
M50000-400	19.685	0.157	500.00	4.00			X				
M50000-700	19.685	0.276	500.00	7.00	X						
2-389	19.955	0.210	506.86	5.33	X			X			
2-469	19.955	0.275	506.86	6.99	X			X			
M51500-700	20.276	0.276	515.00	7.00	X						
M53000-700	20.866	0.276	530.00	7.00	X						
2-390	20.955	0.210	532.26	5.33	X			X			
2-470	20.955	0.275	532.26	6.99	X			X			
M54500-700	21.457	0.276	545.00	7.00	X						
2-391	21.955	0.210	557.66	5.33	X			X			
2-471	21.955	0.275	557.66	6.99	X			X			
M56000-700	22.047	0.276	560.00	7.00	X						
M58000-700	22.835	0.276	580.00	7.00	X						
2-392	22.940	0.210	582.68	5.33	X			X			
2-472	22.940	0.275	582.68	6.99	X			X			
M60000-700	23.622	0.276	600.00	7.00	X						
2-393	23.940	0.210	608.08	5.33	X			X			
2-473	23.940	0.275	608.08	6.99	X			X			
M61500-700	24.213	0.276	615.00	7.00	X						
M63000-700	24.803	0.276	630.00	7.00	X						
2-394	24.940	0.210	633.48	5.33	X			X			
2-474	24.940	0.275	633.48	6.99	X			X			
M65000-700	25.591	0.276	650.00	7.00	X						
2-395	25.940	0.210	658.88	5.33	X			X			

Order by credit card...Today!

